The Oakland County Farm Bu-

Braid, Mrs. Herman Stackhouse

Mrs. Dewey Stover, former

County Chairman, presided in the

absence of the County Chairman

and Vice-Chairman. She announ-

ced that according to state reg-

ulations each member should re-

ceive a card each month regard-

ing the Farm Bureau Discussion

Group, even though they are not

in the habit of attending regularly

She also stated that "Pennies for

Friendship" should be paid by

/Delegates were appointed to

the District No. 3 meeting at Hart-

land on April 16th. They include:

wirs, Fred Upcraft of the Holly

Husilers; Mrs. Allen Parker, Rose

Rustlers; Mrs. Clarence Porritt,

East Orion; Mrs. Jerry Irish, Ox-

ford; Mrs. William Edgar, Clark-

ston; Mrs. Carleton Crawford,

Southwest Oakland; Mrs. Larry

Duncan, F. B. I. group; Mrs. Otto

Rexin, Farmington. Alternates

are Mrs. William Jones, Walled

Lake; Mrs. Frank Winterhalter,

Milford; Mrs. Lyman Joslin, South

Lyon; Mrs. Alfired Haack; Wixom

Blue Cross is offering ten schol-

arships to potential nurses who

may train in the hopital of their

Each delegate from the Farm

Legislature Reapportionment and

bill providing that 50 per cent or

Preceding the meeting a co

operative luncheon was served to

twenty at tables decorated with

The next meeting will be held

at the home of Mrs. William Jones,

6225 Halstead Road, Farmington.

The Ladies Auxiliary to Camp-

pell-Richmond Post, American

pending the last several weeks

all wheat used in state institutions

should be Michigan grown.

the St. Patrick's motif.

Ladies Auxiliary

July 1st.

and Mrs. Charence Porritt.

CLARKSTON, MICHIGAN, THURSDAY, MARCH 27, 1952

# Duffy Daugherty To Speak At Athletic Banquet

The annual Athletic Banquet Farm Women sponsored by the Clarkston Rotary Met Last Week Club will be held at the school on Thursday evening, April 3rd. reau Women's Committee met at

For this year's banquet the committee has secured Duffy the Goodison Township Hall near Daugherty as the principal speak-Rochester on Tuesday, March 18. er. Mr. Daugherty comes to us The hostesses were: Mrs. Earl from Michigan State College. where he is the assistant coach to "Biggie" Munn. Michigan State was rated as the No. 2 football team in the country this past Fall.

Duffy played football for Syracuse University where he was captain of the team in his senior year. After graduation he became assistant to Munn who was then coaching at Syracuse. When Munn came to Michigan State he brought Daugherty with him. Daugherty has been mainly responsible for the great lines at Michigan State and has deveroped several All Americans.

In addition to his talk he will show pictures in color of the Michigan State-Ohio State football game played this past Fall. Plan to reserve Thursday, April 3, for this occasion and get your licket early at O'Dell's.

### **Clarkston Locals**

Mr. and Mrs. Charles Lanning will return to their home on Holcomb St., next week. They have spent the winter in Tampa, Fla. Mrs. Marguerite Miller who went to Tampa a week ago will return

choice. Girls interested may con-Mrs. Albert Lawson returned taot Michigan Nursing Center; home on Monday from Ft. Lau-470 Hollister, Lansing, Mich. derdale, Fla., where she was the guest of her son-in-law and daughter, Mr. and Mrs. William B. Miller for the past month, Mrs. rector in their Township, On May Lawson went by plane and returned with Mr. and Mrs. W. E. Extension Office, 260 West Boule-Shriber and son of Sawyer, Mich., vard, off Telegraph Road, Pontwho have been vacationing in Ft. ac, at 1:00 P. M. to discuss Civil Lauderdale for the past 6 weeks Defense. One representative from They also visited at the homes of each Farm Bureau Discussion Ralph and Earl Lawson in Gatgroup is to attend. linburg, Tenn.

Miss Mary Jahe Beattie, daughter of Mr. and Mrs. Robert C. Beattie, 3537 Walton Blvd., has been received into membership in Alpha Lambda Delta, freshman scholastic honor society for women ait Kallamazoo College, it is announced by the Dean's office. The honor society is a mational organization with more than 50 chapters in colleges approved by Association of American Universities. Freshmen women who make an average of 2.5 for the first semester or for the entire year are eligible for membership

# The Still Small Voice | Meets Tuesday

There's a still small voice in the dark of the night That whispers assurance that all

will be right. It prods on its hearers, heights to attain

In service to others where stand to gain. Those, who heed to the voice are

servants of men Ne'er tiring of giving again and again.

When time for decisions in life gather near Man listens, intent for the voice

in his ear. He never goes seeking confusion and din

To guide him to light from the darkness he's in. Inventors have staked all

wealth they would own On a word from the voice while sitting alone. More folks have found God in

their innermost selves Than from books they have read from library shelves. The giant that's sleeping within's

often stirred In the dark of night by a whispering word.

So, many a genius has taken the choice Of guiding his deeds by the sound of the voice.

NEW SEATS DRAYTON Deors Open FREE Doors Open 6:45 Mon. thru Fri. PARKING Sat. and Sun

March 28-29 Fri. Sat. Loretta Young, Philip Terry in FURY IN THE SKY. Robert Mitchum, in FIGHTING

COMMAND. Sun. Mon. Tues. March 30-31 April 1 Errol Flynn, Olivia de Haviland in ADVENTURES OF CAPTAIN

Mona Freeman, Howard Duff in LADY FROM TEXAS.

Closed Wednesdays until fur-

### **Waterford Lions** Sponsor Show

The Waterford Township Lions Club will present "Shooting Stars" on Thursday and Friday nights of this week in the Waterford High Shoool auditorium.

It is well known that the Lions Club has presented many seeingeye dogs to the blind. In fact this is one of their big projects. Local personalities imperson

interesting. Be sure to see the Queen for Day with a different queen each night. For the small admission price you will see a good show

will do their bit to make the show

## and help with a good cause. **Buy Easter Seals**

Assistance by service clubs, church groups, other organizations and individual volunteers was credited today with giving the Oakland County Society for Crippled Children's annual Easter Seals sales campaign a good

Purchases of the Seals, which have been mailed to Oakland County residents, provide the funds by which the Society furnishes medical attention, training and equipment to crippled children and adults. The cooperation given in preparing for this year's campaign was noted by Mrs. Ger-, ald Kirby, the Society's executive secretary, in a report to directors on its activities during the past three months.

. The report noted that during the quanterly period the Society provided 222 physical therapy treatments; 256 occupational therapy treatments, 25 of them to home-confined patients; 102 hours instruction to 22 polio patients a the Oakland County Contagious Bureau group is asked to obtain Hospital and 15 hours' instruction the name of the Civil Defense Di- to a child confined to his Royal Oak home; Braille and typing in-29 there will be a meeting at the struction to 12 blind persons, and loaned 13 wheel chairs and eight pairs of crutches.

"We have had splendid cooperation from organizations and individuals," Mrs. Kirkby reported. "Extra help was needed par-Mrs. Allen Parker, legislative ticularly at this time in preparing chairman, discussed several fills for the Seal Sale, and enabled us before the Legislature including to have them ready for the mails well before the deadline."

Organizations aiding the cieby include Rotary Clubs at Berkley, Birmingham, Clarkston, Drayton Plains, Ferndale, Lake Orion, Milford, Ortonville, Ox-Waterford; Guild 5, All Saints D. C. Scout Troops 57 and 65, Po Amies Sorority, Pondiac; P. E. O. Slisterhood, Ferndale; Future Nurses Club, Pontiac High School; Iota Eta Chapter, Pi Omicron Na-

tional Sorority, Pontiac; Pontiac League of the Blind; Oakland County TB Alumnae and Oakland County TB Association; Club Legion, will meet on Tuesday, 20, Pontiac; Kappa Delta Sorority, April 1st, at 8:00 P. M. at the South Oakland County Chapter; Township Community Center for Pontiac Board of Education, the regular business meeting. The Gaukler Storage Co., Yellow Cab members are asked to bring along Co., and Pontiac Folding Chair

needle and thread to sew cancer Co., all of Pontiac. When you receive your envelope containing the Easter Seals, Mr. and Mrs. Fred Groven and don't just throw them in the waste daughter, Elaine, returned home basket, send in the remittance to early Wednesday morning after the Crippled Children's Society and feel that you are helping some unfortunate.

### at Delray Beach, Fla. Sweet Sign of Spring



When the sap starts dozing from the trees it means a changing of the seasons but also maple sizup... about the best breakfast table company a pancake ever had. An off-season sideline of many farmers, tree tapping begins as early as late February in southern Michigan and can run as long as through early April in the upper members. Proved to the appearance of the partial and the seasons in the seasons in the seasons in the seasons are the seasons as the seasons are the seasons as the seasons as the seasons are the seasons as the seasons are the seasons as the seasons are the seasons as the seasons as the seasons are the seasons as the seasons as the seasons are the seasons as the seasons are the seasons are the seasons as the seasons are the se peninsula: Roughly 85 percent of the annual crop, growing in importance in Michigan, is harvested in the lower peninsula's farm

### Local Girl Is Guest Of D. A. R.

Among the members of General The Many Circle of the Meth-Richardson chapter, Daughters of Odist W. S. C. S., will meet at the the American Revolution attends home of Mrs. Rolfe Smith ing the 52nd state conference in Detroit last week were Mrs. Grant Beardslee of Pine Knob Road and Mrs. Harry C. Bates of Ranch, Road and Highland Park, The onference was held at the Hotel Statler and twelve members the chapter attended. ating outstanding TV characters

The theme of the state regent Mrs. Walter C. Pomeroy for the past three years has been to promote and improve the quality of citizenship. The various speakers at the three day conference all emphasized getting back to the principles on which our nation was founded -- belief in God, freedom of the individual to work and own private property and belief that the government should serve the people. They said the "stats" has been substituted for God, fearing down the principles on which our country was found ed and nothing can save us but capacity for awareness and a concept of spiritual ideals.

Carolyn Yoder of Clarkston and Donna Lambenton of Waterford were among the 249 high school girls who attended the conference on Friday as guests of the Michigan D. A, R. These girls, the D. A. R. Good Citizens, were commended for their qualities of citizenship for which they were chosen by their classmates and teachers. Margo Beal of Mit. Clemens was given the highest award. and received a \$100 bond. Among ten receiving honorable mention was Judith Kay Robinson of Pontiac. Dr. Charles L. Anspach president of Central Michigan College of Education, Mt. Pleasant was the speaker and outlined dangers to America -- love of luxury, direspect for law, tolerance of crime and carelessness with our ideals. He warned the girls never to lose their sense of destiny. Later the Good Citizens were guests for luncheon and a

style show. Mrs. Melville H. Luttrell, past regent of General Richardson chapter was elected director and will serve for the next three years with the new state regent Mrs. Ralph Newland of St. Joseph Mirs. Bradley T. Scott presented Ann Hodge Mitchell genealogy, a gift of Blanche Avery of Will-

# **Coming Events**

The Executive Board of the Sashabaw P. T. A., will meet at the school on Thursday, March 27th at 7:30 P. M.

March 27 — Tonight — from to 7 o'clock — a pancake suppend at the Community Activities building in Waterford sponsored by the Republican Women's Federation of Oakland County. There will be entertainment. The public is invited. Get tickets at the door.

Friday evening, April 4th, at 7:30 the children of the Clarkston Community Schools, except Sashabaw, will present their Spring Festival.

Be sure to see the chalk artist, Rev. "Ding" Teuling at the Davisburg Methodist Church any night from now through April 6.

## By The Way ...

One of our good customers saw the TV show "Strike It Rich" last week and was so touched by the plight of a blind man, father of two darling children, whose trailer home had been destroyed by fire that he gave them a new trailer. Les Hutchinson of the Pontiac Coach Company and the Hutchinson Trailer Sales, of Drayton Plains, was the donor. . . . In this issue is the new Building Code which is being adopted by the Township of Independence. Keep this copy until the code is preor repairing. . . . . Preparatory to the new work to be done on Clarkston. We remarked to Lywas sure wrecking our pretty village and he answered "Don't look at this, think of how nice it will feel sorry this week for the man with only one suit. He could afford more but his wife, who had nothplace to hang another suit. There will be no meeting of the Clarkston Rotary Club next Monday night on account of the Athletic Bonquet.

### W. S. C. S. Circles Meet Next Week

There will be a cooperative luncheon at 12:30. At this meeting the "secret pals" for the past year will be revealed.

The Priscilla Circle will mee on Thursday, April 3rd, with Mrs. R. M. Atkins.

# **Brownie News**

Brownie Troop No. 200 met on Monday afternoon at the home of their leader, Mrs. L. V. Cushman. We made earrings for our mothers for Mother's Day. We sang songs and talked about our cookie sale We had suckers for a treat. Eileen Jewell, Scribe

## Random Thoughts

BALANCE - I am reading articles in farm journals about farming practices, animal nutrition, increased crop yields, and I am impressed by the advances in agricultural science. Quite often the warning goes with the advice: 'don't overdo it". Too much of this or that either is a waste of money, actually prevents us from reaching the aim set, or presents new problems to be coped with There must be a balance of crops a balance of nutrients, a balance of minerals, organic matter, and all other ingredients that make for a fertile soil.

In depending upon tests findings of science, we can use the right amounts of what is necessary and thus achieve a balance. Sometimes science will invent an insecticide which promises great relief from harmful burs, and in the application of it, especially if done on a large scale, we discover that we have upset a natural bal-When we do not have exact

measurements to guide us, we have to use common sense or intuition in determining which practices and how large amounts of ingredients will produce the desired result.

In human relationships, too where exact measurements are three copies of the George and not possible, we have to feel our way to achieve this ballance. A child should be loved and made iams Lake, to be deposited in the to feel that he can depend on us, Burton Collection, Detroit, the but we should not spoil him; a State Library in Lansing and the husband or wife should be sure ford, Pontiac, Royal Oak and D. A. R. Library in Washington, of loyalty and help, devotion and unselfishness, but each should un-Episcopal Church, Pontiac; Girl Mrs. Luttrell and Mrs. Scott derstand that giving and receiving hall. Mrs. Pomeroy for make for balance, that rights and duties go hand in hand.

In management-labor relations balance of power is more desirable than a domineering one-sided fuling. In economics, the finer the supply and demand ballance each other, the more stable are prices, and we shall be sailing between the two rocks of inflation and deoression.

We read and hear a lot of the ineasy not-war-not-peace international situation. And sometimes we wish that it could be ended decisively. Of course we cannot picture this in any other way than with our victory, whether through war or otherwise, and the defeat of the second largest power, Russia. But I'm not sure that this would be desirable. Even if the present status is costly and unpleasant, at least there is a balance of power of some sort. In the event of a victory of one of these powers, this ballance would be destroyed and an uneasy balance is better than no balance at all! Maybe the situation of this present stalemate will come with the emergence of new powers: a really unified Western Europe, standing on its own feet, or an Asiatic power not dominated by Russian

communism. The deeling of power is gratifying to our ego, but it is a wise man or a wise nation who knows that it is not the best thing. A balence between nations, a balance Bible Institute. within a nation, within society, and within ourselves makes for justice and happiness. It is my belief that we cannot all individually solve the many large problems in all start with ourselves. We can Christ leader, Special music by the are thinking of doing any building put the brakes on ourselves if our Lacey Colored Singers. desires go too much one way, give ourselves the spurs when we slacken too much in another diing built in the main section of rection. We can also keep in mind the "golden mean" of the Greeks the "never too much" as we widen man Girst, the contractor, that he the circle around us, from family to friends, to society, and further if we have the inclination and look efter it is finished". . . . . We energy to encompass more. I must confess that just myself, my family and my immediate surroundings seem to be about all I can ing to wear, had the wardrobe handle. Since the balance I talked so filled with clothes he had no about is not a static affair which stays put once it has been achieved we have to work continuously at it especially within ourselves.

### **New Minister** At Sashabaw

The people of Sashabaw are happy to wilcome the Reverend William H. Bos as pastor of the Sashabaw Presbyterian Church Mr. Bos is originally from Muskegon, Mich. At the present time he is a member of the faculty of the University of Michigan where he is studying for his Ph. D., in speech. He and his wife make their home in Ann Anbor. She is studying at the University for her Master's degrée.

Mr. Bos received his A. B. degree from Wheaton College in Wheaton, Ill.; his B. D., from Western Theological Seminary in Iolland and his A. M., from Washington University in St. Lous, Mo. He has held pastorates in St. Louis; Pringhar, Iowa; Chilton. Wisc., and in Hutchinson, Kansas. He is a member of the Detroit Presbyteny.

The members of the Sashabaw Church realize that they have an outstanding minister and they would like to share his messages with everyone in this territory. If you are not affiliated with any particular church you are cordially invited to attend the services a Sashabaw Presbyterian Chunch.

### **Merry Mixers Have March Party**

Forty-two couples, members and guests of the Merry Mixers Dance Club, met Friday evening at the Community Activities building for a March party.

with the calls were George Sweazy, Harry Anderson, Paul Bond and

Arriving as guests were Mr. and Mrs. Dale Leonard, Mr. and Mrs Mac Hamp, Mr. and Mrs. Charles Callahan, Mr. and Mrs. Charles Carpenter, Mr. and Mrs. Dan Kline, Mr. and Mrs. John Driscoll Mr. and Mrs. William J. Craig, Sr. Mr. and Mrs. Kenneth Hoskins Mr. and Mrs. Glen Sherwood, Lois Hahn, Harold Taner, Constance Gates and Bill Bartlett.

# Your Local Red Cross Helps Disaster Victims

child should miss.

dangers that didn't exist back in the days of horses and buggies and kerosene lamps. Last year, for example, a boy was badly burned when an electric line was shortcircuited and brought down by a kite string. Accidents like this needn't happen.

R. P. Douglas head of The Deflying. Here they are:

1. Always fly kites in open fields — away from overhead wires and away from streets and roads where traffic is an additional hazard.

2. Use a wooden kite frame wood is a non-conductor of elec-

Use "plain" kite-string: avoid all tinsel wire or cord that has any appearance of being metallic, Metallic cord can carry painful injury or fatal shock.

a pole or tree, leave it there. It's a fall or electric shock.

raise your kite or keep it in the air, watch your step rather than the kite — it may save you a bac bump or tumble.

To remind boys and girls of

### **Children Cautioned** About Kite Flying Kite-flying time has come

round again, and kites — along with marbles and skates — are a part of springtime fun that no

But kite-flying now has some

troit Edison Company's safety department, has some simple rules for keeping the danger out of kite-

tricity,

electricity to your hand and cause 4. If the kite does catch on

too bad to lose it but making ; new kite is fun — and climbing eremonies. Assisting Mr. Allen for the old one might result in 5. When you're running

the rules of safe kite-flying, The Detroit Edison Company has placed a supply of colorful "Captain Marvel" kite-safety comi books in every one of its offices throughout southeastern Michigan. Parents are invited to take copies home to their children as The next dancing party will be an aid to setting a good kite April 4th at the C. A. I. building. safety record in this area.

# Brandon Grange Celebrates Fiftieth Anniversary

in Ortonville, Michigan, will cel- held in a hall over the present C. ebrate its 50th anniversary on F. Smith store, The Grange was April 3, 1952, at 8:00 P. M. at its dormant for about five years, but

B. Horton, state master, and Jennour charter. John Lewis Algoe was

# **Church News**

CLARKSTON METHODIST Rev. Robert M. Atkins, Pastor

9:45 A. M. Church School. 11:00 A. M. Morning Worship. Passion Sunday. Sermon: "Your Suffering Lord".

7:00 P. M. Youth Fellowship. On Tuesday evening, April 1st, Family Lenten Dinner at 6:30, sponsored by the Youth Fellowship. The speaker will be Dr. Dwight S. Large of the First Methodist Church in Ann Arbor. The dinner is cooperative. The W. S. C. S., will furnish the beverage You are requested to furnish a dish of food to pass and your own table service.

### CLARKSTON BAPTIST Rev. George Halk, Pastor

10:00 A. M. Sunday School 11:00 A. M. Morning Worship Sermon: "What Price Glory". 6:15 P. M. Young People's meet-

7:30 P. M. Evangelistic service. Sermon: "Turn or Burn". Special music at both services will be furnished by the Detroit

Monday, March 31, the Reverend Tom Malone of the Emmanuel of Ontonville, William Sutton of Baptist Church, Pontiac, will begin a series of services at the Baptist Church. Song leader will be all of the fields, but that we can Bob Eaton, Pontiac Youth for Tuesday at 4:00 P. M. Children's

> 7:30 P. M. Wednesday evening prayer service and Bible study.

CHRIST LUTHERAN CHURCH Rev. Arvid Anderson. Pastor 9:30 A. M. Sunday School 11:00 A. M. Morning Worship Sermon, "The Blindness of Hat-

4:00 P.M. Adult Discussion Class 6:30 P. M. Junior Luther League Tuesday, 6:30 P. M. Confirmaion Class Wednesday Evening Lenten Ser-

vice at 7:30. Thursday, 4:00 P. M.: Junior Choir Rehearsal; 7:30 P. M. -Louise Hemsing Senior Choir, Rehearsal.

Brandon Grange No. 97 ccated | the first master. Meetings were the charter was held during that money, not as a separate appeal The Grange was organized on time. Brother Lowery again re-April 2nd, 1902, by Deputy Jos- vived the group and meetings eph Lowery of Clarkston. George were held in the old Union School, town hall and a hall over the presie Buell, state secretary, signed ent bank for which they paid \$2 a month rent,

For several years the Grange met in the members' homes. In March 1931 we rented the hall over the old Grandin and Delauder store, which we used until the summer of 1935 when we moved again. This time to our present location which was purchased from the Seigel Estate. The building was divided into several rooms and the members worked hard and donated much time to the altering. Through many money-making plans we were clear of debt on Jan. 1, 1944. At the annual New Year's dinner a mortgage burning ceremony was held. The Grange has been active through the years and now at the conclusion of the 50th year we still have many of the original names on the membership list. Among them are Mr. and Mrs. John Leece, Mr. and Mrs. Sam Wolfe, Mr. and Mrs. Charles Vantine and Mr. and Mrs.

William Tucker. Mr. and Mrs. Lehman Huff and Mrs. Wallace Guiles and many others have belonged from 20 to

Living past masters who hav been responsible for the progress through the years are: Stanley White of Clarkston, Ben Connel of New York State, Wallace Guiles Ontonville, Fred Beckman of Milford and Alex Solley who is the Worthy Master of Brandon Grange at the present time.

All old friends and members are invited to the 50th anniversarry celebration on April 3rd at 8:00 P. M.

Harold J. Schmidt, Lecturer WATERFORD COMMUNITY.

Rev. Wright Van Plew, Pastor 9:45 A. M. Sunday School.

11:00 A. M. Morning Worship, 11:00 A. M. Junior Worship. 3:00 P. M. Baptismal Service to oe held at Sunnyvale Chapel. 6:15 P. M. Youth Groups.

7:30 P. M. Evening Praise Ser-Wednesday, 7:30 P. M. Family Bible Study and Prayer Service:

(continued on page 5)

8:00 P. M. Choir Practice.

Oakland County Chapter, American Red Cross is helping disaster victims in Arkansas, Missouri, Wississippi, and Tennessee. "We have sent workers and will send money to aid our neighbors", says Dr. Robert W. Kelso, Chapter Chairmanu

"With the speed of sudden death the cyclones of our middle south have snuffed out the lives of hundréds of citizens, torn homes and families apart and left thousands cold, hungry and home-

The Red Cross has allocated 1,000,000.00, has sent fleets of workers to the devasted areas to help those in distress. The total tally will exceed \$5,000,000.00. The good hearted citizens of the United States must be asked to contribute their share. They are our only support, says Dr. Kelso.

The Oakland County Chapter is asking in our area for a modest amount to meet our share of the responsibility. Oakland County folk are giving blood and money for Red Cross needs. Will you give nore for the disaster victims? Dr.

E. Roland Harriman, President of the American National Red Cross wired Gar A. Sweazey, chairman of the 1952 campaign for funds: "The overwhelming disaster which has crushed dozens of communities in Arkansas, Tennessee, Mississippi and Missouri on March 21, 1952, has left in its wake 178 known dead with a constantly increasing death list. 877 have been injured with thousands of people homeless, losses will run into the millions. To meet this great emergency thousands of hapter volunteers have been on duty since the tornado struck. The National organization is dispatching trained workers including doctors and nurses to the stricken areas. Food, clothing and shelter are being provided. Whole blood and plasma have been delivered by plane. Cots, blankets, emergency power generators and water ourifiers are a part of the Red Cross equipment rushed to the stricken communities. We have appropriated one million dollars

o meet emergency needs. "This great disaster, the worst ornado in a decade, will place upon the Red Cross an added burden of at least five million dollars for meeting human needs. With our reserves depleted it is necessary to go to the public for this but one to be combined with our

ort of your chapter, and the generosity of your citizens. "Urge citizens in your chapter to aid their friends and neighbors

"We are confident of the supp-

in the four state area." The Red Cross has also responded to the call for help in the flooded area at Monroe, Mich., and is helping many who have had to flee from their homes on

account of flood waters. Now, if ever, your Red Cross needs your help. Every little will help. If you haven't given before this week, make sure that you stop in at the Clarkston State Bank and leave a donation with Robert L. Jones.

# Clarkston Locals

Mrs. Myra Weiland of Lake Onion spent the past ten days in Clarkston visiting Mr. and Mrs. LeRoy Addis and Mrs. L. F. Walter and her many friends.

Sickness seems to be prevalent in Clarkston. A number of our townsfolk are confined in hospitals in Pontiac. Miss Thelma Cross and Mrs. Guy Scott are both in Pontiac General. Mirs. Kimball Skarritt and Harlan Thayer are in St. Joseph's Mercy.

The Board of Directors of the Independence Township Community Center will meet with representatives of organizations using the building on Wednesday evening, April 2nd, at 8:00 P. M. Please have your representative present. The meeting will be held at the Center.

### **Holly Theatre** "The Friendly Playhouse" Air-Conditioned

Thurs, Fri. Sat/ March 27-28-29 Two Big Features Gary Cooper, Van Johnson and all Star Cast in IT'S A BIG

COUNTRY. Johnny Weismuller, Angela Greene in JUNGLE MANHUNT

March 30-31 Sun. Mon. Tues. April 1

Bette Davis, Shelley Winters (in PHONE CALL FROM A SURANS

### Waterford


Mrs. Jack Hall, Correspondent Phone OR 3-0261

Mr. and Mrs. Waldo P. Rockey (Grace Stevens) of Williams Lake announce the birth of a 7 lb 10 oz son, Steven Paul, on Saturday, March 22, at St. Joseph's Mercy Hospital, Mrs. Beatrice Stevens of Williams Lake and Mrs. Clara Rockey of Ann Arbor are the baby's grandmothers.

Mrs. Wallace Brown will enter St. Joseph's Mercy Hospital this weekend where she will undergo en operation for the removal of loose cartilege in her knee.

Three of the Phil Stites children have been taking turns with the measles this past week. Rusty,

### Clarkston News Published every Thursday at 6188 S. Main Street, Clarkston, Michigan. William H. Stamp Publisher



MURTON RADIO AND TELEVISION 9075 Big Lake Road

Phone Clarkston MA 5-2894

**End of Month** 

**Childrens Shoes** 

26 PAIR —

**Ladies Shoes** 

Size 4 to 8

Size 32-38 \*\*

Sizes 10 through 3

Regular \$5.50 and \$5.95 Values

Regular \$7.95 and \$8.95 Values

Regular \$2.98 and \$3.98 Values

Ladies Strapless Slips

Hallmark Easter Cards

**GREEN'S Men's Wear** 

(Next To Pontiac State Bank)

DRAYTON PLAINS, MICH.

PHONE OR 3-1807

SPECIALS

Cheryl and Craig have all had will meet Tuesday evening with

Lem VanSyckle who has been ill with pneumonia for some time is a little better. He is under the care of two nurses and is at his home Mr. and Mrs. Roy Pammenter

celebrated their 38th wedding anniversary on Monday and it was also Mr. Pammenter's binthday. In honor of the double occasion they ententained 32 at a turkey dinmer on Sunday. All of their children and families except one daughter in the west were with them for the day. Their son, Harold, and his wife were here from California, as well as Mr. and Mrs. Thomas Joseph and daughter, Pam, from Grand Ledge, Mr. and Mrs. Richard Burch and Rickey from Detroit and Mr. and Mrs. John Kinney and four boys from Pontiac. Other guests were present from Pontiac, Keego Harbor and from Syracuse and Utica, N.

The Ladies Auxiliary of the Waterford Community Church will hold a Silver Tea on Thursday April 3rd beginning at 1:30. The Tea will be held in the church parlors and all ladies in the community are especially invited. Mrs. William Granger and Mrs. Isaaa Shook are on the kitchen committee with Mrs. Wright VanPley and Mrs. Frank Schultz in charge

of the program. The Adult Bible Class of the Waterford Community Church WILLIAM H. STAMP ATTORNEY AT LAW

Ellsworth Spooner is resting

comfortably and has had several

Topham serving as secretary-

Novelty dancing will be feat

on Friday evening of this week.

Mrs. Donald Beedle of Memphi

and her sister, Jeannine McCar-

L building.

breasurer.

News Office Ph. MA 5-4321 CLARKSTON

RONALD A. WALTER ATTORNEY AT LAW 5 South Main Street CLARKSTON Phone MA 5-3441

Dr. A. W. EMERY VETERINARIAN

5540 Dixie Hwy. Waterford Residence Phone OR 3-1936

Dr. DON STACKABLE DENTISTRY

14 N. Main St. MA 5-3966

Rockwood W. Bullard, Jr. PHYSICIAN and SURGEON OFFICE HOURS BY APPOINTMENT ONLY PHONE MA 5-5921 20 S. Main St.

DR. HARRY YOH HYSICIAN and SURGEON 21 E. Washington — Clarkston Office Hours Daily Except Wed. 10 A. M. — 1 P. M. 3 P. M. — 5:30 P. M. Evenings: 7 P. M. — 9 P. M.

Phone MA 5-3616

attended the funeral of his brother, Rollin Streeter, in Detroit on Mr. and Mrs. Isaac Shook, 4175 Monday. Lotus Drive.

Mrs. Larry Hawke is a patient at St. Joseph's Hospital where she. Springfield News visitors this past week. Mr. and underwent surgery on Tuesday Mrs. Harvey Dalton of South Bend | morning.

Mr. and Mrs. Harold Pammentcame to see their uncle on Monday. On Thursday Mrs. Florence Doty er left Tuesday morning for their of Pontiac had dinner with the home in California after a visit family, and a niece, Miss Clara with his parents, Mr. and Mrs. Walter of Detroit, called on Sun- Roy Pammenter. They also visited in Syracuse and Utica, N. Y., recently.

Mr. and Mrs. Harold Allen and A new dancing club to be Mr. and Mrs. Lloyd Anderson known as "The Novelettes" has went to Bad Axe on Sunday evebeen organized and meets every ning to attend a concent presented other Friday evening at the C. A. by the Michigan State College Glee Club. The Allens' son, Rich-George McClanahan has been ard, who is a junior at the college elected president with Mrs. Nora is a member of the Glee Club which is on its spring concert tour

The annual election of officers ured and the first meeting will be for the Waterford Women's Club took place at their meeting last week with the following officers re-elected for the year: Mrs, Herman Streeter, president; Mrs. Jack firey, were co-hostesses on Saturday evening at a stork shower Hall, 1st vice-president; Mrs. Leslie MacFarland, treasurer. Mrs. honoring their sister-in-law, Mrs. Jack McCaffrey. The party was Rallph Frazer was elected secretany and Mrs. Glen Byington, corrat their mother's home in Wateresponding secretary. Mrs. France ford with 26 guests present from cis Kinkle is friendship chairman, Pontiac, Clarkston and Waterford.

Mr. and Mrs. Herman Streeter Pllans were made to go ahead on finishing the ceiling in the new women's club room and two interior decorators will be at the April meeting to submit colors and ideas for furnishing the room. This meeting will begin with a pot-luck supper at 6:30 with Mrs. Clifford Wood, Mrs. Don Weaver Mrs. Dale McClellan and Mrs. Erwin Crothers on the committee. Hostesses for the March meeting were Mrs. Herman Streeter, Mrs. Lewis Whitehorn and Mrs. Francis Kinkle.

> The Waterford Beacon Club will hold its annual Ladies Night Banquet and program on Saturday evening, March 29, at 6:30 P. M. at the Waterford Community Church.

The club which is composed of men from the church and the community, has set aside the last Saturday of March for the past few years as the one night when the ladies are invited to the meeting. The excellent programs which have been held in past years and allso rumors which have been heard regarding plans for this years meeting indicates that this Saturday night will be enjoyed by all who attend.

# **Chamberlains** Radio & T-V

Service

Graduate Technician 7289 Williams Lake Road Phone OR lando 3-8965

# Mrs. F. E. Kuklaw entertained

Drayton **JEWELERS** Watches — Bands

**Bracelets** 

Watch Repairing 4524 DIXIE HIGHWAY

Phone OR 3-7362 DRAYTON PLAINS

SPOT CASH

For dead or disabled stock HORSES - \$1.00 each CATTLE - \$1.00 each HOGS - \$ .10 per cwt.

Phone collect to
DARLING AND COMPANY Call us promptly while carcass is fresh and sound. Imlay City 78

SAYS: ROBERT C. BEATTIE One car in twenty-five will have an accident this year. In-

sure yours with our Blue Ribbon Auto Policy.

It gives you:

Full protection 2 Fair claim payments . (ash dividend savings A Protection everywhere

you drive

CALL OR WRITE

Waterford, Michigan

are held on the last Saturday eve-

ning of each month.

Mrs. Stanley Furman Correspondent

Don Ridgeway was home from Camp McCoy to spend the weekend with his parents, Mr. and Mrs. Vern Ridgeway,

leasy for a while. have x-rays taken on Monday and Battle Creek, Mich., mother of Tuesday.

Mrs. Harold Jarvis is up and

to her bed with a very bad cold. their Easter Cantata and are party for Mrs. Jack Jantz last assisted by Mrs. Vernon Kath, Tuesday evening at the home of Mrs. Richard Harris, Mrs. Judson Mrs. Stanley Furman, Mrs. Jantz Frankenfield, Mrs. Horace Staley lost all of her personal and household belongings by fire 2 weeks ago. Each club member invited guest and each one presented Mrs. Jantz with something for her home. The group had a good time playing Bingo. Pot-luck re-

freshments were served. Mr. and Mrs. Ben Downing of Pontiac spent Sunday with Mr. and Mrs. Arthur Towne.

Dennis Gritzinger received severely injured finger at school on Monday.

Leo Rader is the new Cub Scout in Den 4. Mr. and Mrs. Anthur Wallace are spending the week in Midland helping care for his mother who is recovering from an opera-

Mrs. Lamb of Flint was a guest on Saturday at the home of her daughter, Mrs. Fred Gritzinger. The Eaglet Patrol went on a bike hike to Davisburg on Satur-

Ronna Marie Vess was guest of honor last Tuesday when her mother invited in a few little friends to help her celebrate her fourth birthday.

Mr. and Mrs. Gordon Black spent Sunday in Brown City visiting Mr. and Mrs. William Gunn. The Blacks are sponting a new

'Chevie". Mr. and Mrs. Arnold Ireland and family of Ortonville spent Sunday at the home of Mr. and Mrs. Warner Beckman.

Tim Ridgeway is still having transmission trouble. He just installed his sixth one this winter Mrs. Marjorie Sage is in Pontiac General Hospital, room 325 where she is recovering from an

operation. Mrs. Jack Jantz received word on Monday that her uncle in Cass

City is seriously ill. Bootsie Lane, Junior Foster and Bill Carte are working hard to install the new water pump at the Stanley Furman home, Mr. Furman is very grateful to them for their help while he is unable to do very much work.

# Sashabaw News

14 children from the second grade at a party for her daughter, Floy, last Saturday, to celebrate her eighth birthday. They played games. The prize winners were Don Vargo, Maureen O'Mara, Judy Cohoon and Bobby Miner. Floy received many lovely gifts. The children enjoyed hot dogs, potato chips, a decorated birthday cake and ice cream.

Your reporter visited the dance lasses at the school on Wednesday afternoon of last week. I was pleased to find that the boys and girls had already learned the slow fox trot and waltz. This was their third lesson. They are now learn-ing the Grand March, It was really amazing to see with what ease Mrs. Smith handled the group of 80 boys and girls. Besides learning

Regular meetings of the club dance etiquette the children will learn how to do all of the popular dance steps as well as square

Arriving on Saturday morning from New York City is Dr. A. Bernice Clark, sister of Mrs. F. E. Kuklaw of Pine Knob Road. Dr. Clark has just finished her residency at Bellevue Hospital and has been given her Fellowship at

the Institute of Physical Medicine and Rehabilitation at New York Stanley Furman is home from University. She will spend the the hospital but has to take life weekend with her sister. Another weekend guest at the Kuklaw Mrs. Warner Beckman had to home will be Mrs. Ethel Clark of Mrs. Kuklaw and Dr. Clark.

Sashabaw Presbyterian Junior around again after being confined Choir is still hard at work on The 50-50 Club had a benefit progressing nicely. They are being and Mrs. Thomas Gray, The choir is being accompanied by Mrs. Lloyd Ingamells at the piano and is being directed by Mrs. F. E. Kuklaw. They plan to present this cantata at the church on Easter Sunday evening at 7 o'clock.

The Girl Scouts are busy taking orders for their cookie sale. Be sure and order yours now. They will be delivered in April.


SPECIAL SPEAKER AT SASHABAW .P. T. A.

The Sashabaw P. T. A., will meet at the school on Thursday, April 3rd, at 7:30 P. M. Miss Ruth Rogers of the Lansing Board of Health will be the guest speaker She will tell about fluoride treatment for children's teeth and how

to obtain it at a nominal cost. This talk will be of special inerest to parents. Everyone in the surrounding area is condially invited to attend. It is believed that everyone will learn much from Miss Rogers' talk.

# DEMING WATER SYSTEMS

# SAVE MONEY TIME and LABOR



Let a Dependable Deming Water System take over all the work of pumping and carrying water where and when you need it.

With a Deming you get the highest standards of quality and performance - honest value for every dollar in-

A wide range of shallow well, jet type, and deep well Deming Water Systems gives you the widest possible selectivity. See us today about the system to meet your requirements.

BRINKER PLUMBING & HEATING

4686 Dixie Hwy. Drayton Plains, Mich. Phone ORlando 3-2121

Stokers

# DANCE April 5th -

**VINCENT** — The One Man Band

Mountain View Country Club Maceday Lake

ELECTRICAL CONTRACTORS 24 Hour Emergency Service Domestic - Commercial - Industrial Installation and Service

**Gidley Electric Shop** 

SALES AND SERVICE Phone OR 3-1423 5199 Dixie Highway

Oil Burners Refrigeration Waterford, Michigan

# HANDY WAY TO SUBSCRIBE

The CLARKSTON NEWS Clarkston, Michigan

Please enter my subscription to The Clarkston News for one year for which I enclose \$1.50.

LAATSCH'S

# NORTHERN T-V SERVICE

6734 Dixie Highway — Clarkston Phones: Business, MAple 5-7111 Home, MYrtle 3-4524

First Annual Howe's Lanes Singles 4 Games Across 8 Alleys

# **Howe's Lanes**

Sat. & Sun., Apr. 5-6

ENTRY FEE - \$3.00

(Includes Bowling)

Mean Average of week March 8 75% Handicap - 200 Scratch

 me									
ldress	,								
one			,						
.one	Lea	ague		Gs	Avg.	Ì	stablis	hment	

Day and Time Requested

# Wind Storm Insurance especially needed NOW!

(Clip out and mail)

Get our rates on extended coverage — a package insurance including wind storm, explosion and smoke damage.

# Ken **HEMPSTEAD**

102 E. HURON ST., PONTIAC Phones: FE 4-8284 or MA 5-4911 after 7:00 P. M.





Makes no difference. Either will bring you friendly and courteous treatment at the Clarkston State Bank.

TRY US!

# **Clarkston State Bank**

Clarkston, Michigan

Member Federal Reserve System

Member Federal Deposit Insurance Corporation

# Stark Bros.

NURSERY AND ORCHARD CO. Trees, Shrubs and Flowers

Free Landscape Advisory Service
Please mail this coupon or phone OAkland 8-2942 Pedigreed Baby Chicks

	James R. Snyder, 9610 Dartmouth Road,
	Clarkston, Michigan  Please have your landscape Advisor call at my home help me plan my Spring planting.
:	Name

BEATTIE MOTOR SALES Ford Sales and Service Waterford Phone OR 3-1925 MARCH IS FORD TRUCK MONTH . . . IT WILL PAY YOU TO SEE US!

Ford Trucks for 52 cost still less to run!

are engineered for modern

There's no increase in prices!

You get more power, more performance,

more value in Ford Trucks for '52 . . . and at

no increase in prices! You get a choice of five

great Ford truck engines in over 275 series

power combinations to fit your job better! See the new Ford Trucks, now! And see

the Economy Run Book tool Check how

little it can cost to run a Ford Truck in

your kind of work, in any kind of work!

low-cost Speed Hauling.

Gas savings up to 14%!

New Ford Trucks for '52 have what it takes

to beat Ford's own impressive records for

low running costs! Ford economy advance-

ments like new Low-Friction engines bid to

knock your per-mile running costs down to a

brand-new low! Tests show that Ford's new

short, stroke, high-compression, overhead

valve Low-Friction truck engines can save

you as much as one gallon of gas in seven!

Phone OR lando 2-1952

Robert C. Beattie

Address

# The Hilltopper

On March 14, 1952, the Band sponsored a magician's show, Tricks On. Parade, at the high school. In the afternoon a performance was given for the grade school and high school students who were unable to come to the ton High School gymnasium was evening show. The evening show the scene of a Sadie Hawkins was much longer and more enter- Dance, sponsored by the Soph-

selves at both shows, and the Band made approximately \$75,00 for the Uniform Fund.

SOPHOMORE NEWS

Last Friday evening the Clarks-

MODERN STORAGE LOCAL AND LONG DISTANCE MOVING

GAUKLER STORAGE CO.

9 Orchard Lake Ave.



Vernon 1860

Vernonware 1860 is designed in deep brown around the rim with a picture in the center contemporary to the 1860 period. There are six beautiful pictures in colors in the collection. They represent the true "Southern Hospitality" and extend to you and your guests a homelike feeling.

OPEN STOCK AVAILABLE

16 piece Starter Set

\$18.00 List Price Special Sale Price \_\_\_\_\_\$13.95

# THE DIXIE POTTERY

Phone ORlando 3-1894 5281 Dixie Highway (near Waterford) Open Daily & Sunday 9 A. M. — 9 P. M.

mores. The music, furnished by Bill Sutton and his Melody Men, was enjoyed by all. With the help of Mrs. Guy Littleson the decor-ation committee managed to create a cabaret atmosphere. This Dogpatch Cabaret theme was also encouraged by the silhouettes of

A STATE OF THE STA

the various Dogpatch characters. The sophomores wish to thank veryone who helped make this dance a success. They also hope that all who were present en joyed it.

### SEVENTH GRADE NEWS

In spite of sieges of spring fever the report cards have reminded ome of the seventh graders tha there's still much work to be accomplished.

In arithmetic classes the students are studying per cents and have been doing various problems of this nature.

unit of Michigan as part of the mothers. Each cake was decorated British Empire in Michigan His- with the words "Happy Birthday". tory. This described first how Michigan was transferred from France to England in 1763, and second, the British rule in The Old Northwest until the Revolutionary War.

In General Science, the students are studying the various forms of life found inside the soil. The smallest bacteria to the mole received the class's attention. There will still be more questions and recitation to be done before this unit is complete.

### NEEDED URGENTLY

150 more blood donors are needed for the Red Cross blood mobile unit, to be held at the Clarkston High School, April 7 from 3 to P. M. Any healthy individual between the ages of 21 and 59 is urged to make an appointment by filling out the forms that the school children have taken home or by calling the school for an appointment. We ask that an appointment be made to prevent long waits on your part and to make for the most efficient operation of the unit.

Whole blood is urgently needed in Korea. Whole blood can only be preserved for 21 days even when a special solution called ACD is added and it is refrigerated. To make sure that there is available a constant flow of blood we must all assume our responsibility of giving.

We are appealing to all to do MAKE YOUR APPOINTMENT

# Sashabaw School

Mrs. Lockhart, teacher in the beginners' room, was ill Friday. A substitute teacher took her

## Mrs. Houlding's 1st Grade

Linda Clark had a birthday on Sunday. She was 7 years old. Mrs. Houlding has been having a hard time to make herself heard this past week. Sounds like laryn-


## Miss Coe's 4th Grade

Russell Frick has returned to his home from the hospital. He will be in bed for several weeks

# New Hybrid 125 **Boosts Sugar Beet Yield 13%**

Michigan Agricultural Experiment Station has developed male-sterile and normal flowering strains of sugar beets that were crossed together to increase the yield of this valuable crop. The result is the new Hybrid 125, showing an average tonnage increase of 13 per cent over ordinary commercial sugar beet varieties. Researchers used careful selection and inbreeding for several generations from varieties with valuable characteristics. For further information, telephone, write or visit your County Agricultural Agent.





## Telephones in "Shirtsleeves"

All telephones are mechanically about the same. But special uses call for specialwork clothes" for some telephones. Michigan Bell supplies these instruments where needed. Shown here are: (1) telephone for flour mills, gasoline storage plants, etc., with operating parts sealed so no spark can set off an explosion; (2) portable telephone with a cord that can be plugged into outlet boxes; (3) wall type, used near shelves, etc.; (4) outdoor telephone. These telephones do special jobs more efficiently—and that means better service all along the line.

Mrs. Draker's and Mrs. Beck's 3rd Grades visited a saw-mill last Friday afternoon.

Mrs. McCuen's 2nd Grade Floy Kuklaw had a birthday last

Mrs. Hedden's 5th Grade Michael Knisely, Edward Usrey, Fred Parks and Richard Wellman

are receiving shots for rables.

# Mr. Langdon's 8th Grade

Bimthdays were celebrated last Friday by Joseph Junglass and George Reynolds. The group then went inside and danced for a while. They enjoyed birthday The students have finished the cakes which were baked by their

> Twelve of the school children are taking a series of shots for rables at the Oakland County Health Department. They started them last Thursday.

All dogs nunning loose will be reported to the proper authorities, Remember there is a quarantine on all dogs. Keep yours in your yard or on a leash. It is rumored that there are 4 or 5 dogs on the loose that were bitten by the dog that had rabies. One might be your pet, so be careful of your dog or cat for the next few weeks. The community is still in danger if these rabid dogs are on the

# by Willard E. Bosserman Assistant County Agr'l Agent

A few raspberries in the home may enjoy nice, red, luscious, from advice given by Josephine fresh raspberries swimming in Martin, textiles, clothing and recream. Twenty-four plants, or a Hundred foot row, will produce enough fruit for the average family. The life of the red raspberry plant will average eight to Miss Martin urges women to ob-The soil should be a well drained loam soil. Light sand lacks fertility and dries out greatly, and is varied. played baseball for an hour and the plants seldom thrive on heavy

> Red Varieties - Latham is the most popular red variety and is extensively grown for market use will find people looking at the and the berries are large, firm, and attractive in appearance, but at you. Spacing of the pattern have a tendency to crumble. The Taylor is especially recommended, both for home and market use. The berries are large, firm and of good quality. It is one of the best for canning and fireezing. Indian Summer is the best fall bearing

Cumberland.

### FRUIT AND GARDEN NOTES MATCH PERSONALITY AND FABRIC PRINT

State College, Though a fabric print is very much a matter of personal taste, ten years. The black or purple serve a few basics of design. For plants average five to seven years. instance, equally spaced stripes In choosing a site, choose one become monotonous, so look for away from old plants and an interesting variation in space brambles, including wild species. or size of the stripes. Or, if the stripes are even, a variation can be achieved if the stripe direction

> Watch out for prints that look too much like real life, warns Miss Martin Figures or patterns from nature should not have depth but just two dimensions or you photograph in your dress and not should be interesting but make sure the designs are not too far apart.

Do you wonder what kind of print is best for your figure? Miss Mantin answered that one with the general statement that patterned fabrics, generally increase im size. That means a short stocky figure should be careful about Black Varieties — Cumberland all-over printed fabric. Inconspicis the leading black raspberry, uous colors without too much con-Logan is not so popular but ripens trast are better for the stocky about a week earlier than the figure, of course, than bright

The clothes you wear should be background to your personality. This bit of advice is especially true in selection of spring and summer prints, as you can see

lure or the very small one can concluded;

A very tall, slender figure often safely wear any print, though M needs a design with some horiz- is well to remember that a pattontal movement to break the up- ern should be scaled somewhat to and-down line. The average fig- the person's size, Miss Martin

### SHARPE FUNERAL HOME

LARGE CASKET DISPLAY 24 Hour Ambulance Service Clarkston, Michigan Phone MA 5-2366 Collect

## Geo. H. Kimball, Jr.

representing State Farm Insurance Companies Auto, Life and Fire Phone OR 3-2388

5875 Andersonville Road

### KING'S INSURANCE AGENCY

Office, Clarkston State Bank Clarkston, Michigan Phone MA 5-5051

Phone MA 5-2801 Isabel K. Bullen Phone MA 5-4881

VISIT THE NEW

# **Commodore Show Bar**

Choice Food and Liquor Served from 10 A. M. to 10 P. M.

ROOMS BY NITE OR WEEK

Phone OR 3-2972 or OR 3-7161

Drayton Plains, Mich. Dixie Hwy at the Stop Light



# OVER THE ROAD or OYER THE ROUGH -you can't beat a CMC!

Now why, more and more, GMC's are becoming first choice of so many cost-watching truck operators in every type of hauling?

One of the big reasons, they will tell you, is they can always get a GMC that's exactly "engined" for their particular kind of work.

There is no need for a GMC owner to strain away with an underpowered truck - or lose profit to a gas eater unsuited to its job.

That's because GMC builds the widest range of truck engines in the industry -GMC famed valve-in-head gasoline engines from 100 to 200 H. P.-GMC exclusive 2-cycle Diesels from 110 to 225 H. P.

MA ple 5-5566

And it's the kind of power you don't have to pamper!

Each GMC engine is specially lubricated against wear, specially ventilated against acid-forming fumes even when idling-specially designed for truck duty!

Why not let us recommend the GMC truck, tractor or six-wheeler perfectly powered for your job? It will be a real truck all the way-exactly the right combination

of engine, axle, transmission and frame · blended by the world's largest exclusive manufacturer of commercial vehicles!



Edw. D. Whipple PONTIAC SALES

GASOLINE & DIESEL TRUCKS

10 20 TONS

Clarkste'

You'll do better on a used truck with your GMC dealer

# Independence Township **Building Code**

### \_ARTICLE I-GENERAL PROVISIONS

An oroinance regulating the erection, construction, alteration repair, demolition, height, location and area of buildings in the Township of Independence, Oakland County: providing for the issuance of permits and collection of fees therefore; providing for establishing of fire limits: providing penalties for the violation

THE TOWNSHIP BOARD OF THE TOWNSHIP OF INDE PENDENCE, OAKLAND COUNTY, MICHIGAN, ORDAINS: Section 100. TITLE

This Ordinance shall be known as the Building Code for the Township of independence, Oakland County, and will be referred to in this Ordinance as This Code. Section 101. APPLICATION AND SCOPE

101.1 The purpose of this code is set forth in the PREFACE hereto attached and same is made a part hereof. Further it is the purpose of this code to provide minimum standards of associations, government agencies and/or other national organizations listed in the appendix of this code as standards for the Township of Inde-

pendence. 101.2 All buildings and structures designed for use as, or used as one or two family dwellings, not more than two stories nor more than 30 feet in height and private garages and other buildings accessory to dwellings not more than 11/2 stories nor more than 15 feet in height hereafter erected, altered, repaired, moved or demolished shall comply in full with the requirements of this code,

101.3 All buildings and structures not expressly within the scope of Section 101.2 as set forth above and/or which involve the use of structural steel and/or re-inforced concrete framing, heavy timber construction, roof trusses with spans of more than 25 feet (but not including trussed roof construction) shall conform with the applicable requirements of THE BASIC BUILDING CODE promulgated by the Building Officials Conference of America, regarding design: Except that the incidental use of steel beams, girders, columns and hangers and reinforced concrete slabs and walls shall be permitted under this code.

101.4 The Basic Code referred to above is hereby made part of this code with respect to matters specified in Section 101.3. The Basic Code so adopted by reference is that code which was copyrighted and published by such Conference in 1950 and including subsequent revisions and amendments. \_ARTICLE II\_

# DEFINITIONS

Section 200. DEFINITIONS For the purpose of this Code, the terms listed below shall have the meanings given in this chapter.

Approval by the building inspector under the provision of this Code or by other authority designated by law to give approval of the matter in question. Basement.

That portion of a building partly below grade but so located that the vertical distance from the grade to the floor is greater than the vertical distance from the grade to the ceiling; provided, however, that if the vertical distance from the grade to the ceiling is five (5) feet or more, such basement shall be considered as a story or when 50 percent or more of the space in a basement is used for habitable room it shall be counted as a story. Building.

A structure having a roof supported by columns or walls for shelter, support or enclosure of persons, animals or chattels is a building, when any portion thereof is completely separated from separate building.

Building Inspector. The person charged with administration and enforcement of

Ceiling height. The vertical distance between the floor and ceiling. Where a finished ceiling is not provided the underside of joists

shall determine the upper point of measurement.

1. Plain. Concrete cast in place without metal reinforcement or reinforced only for shrinkage or temperature changes. 2. Reinforced.

Concrete in which steel rods or mesh are embedded to increase strength. Dwelling.

A dwelling is any house or building or portion thereof, which is occupied wholly as the home, residence or sleeping place of one or more human beings, either permanently or transiently. Erected.

Includes any constructions, reconstruction, enlargement, move ment or physical operation on either the dwelling or on the land required for the dwelling. Excavation, fill, drainage and the like shall be considered a part of erection. Floor area of a room,

The number of square feet of floor space within the walls of Grade, finished.

The line formed at the junction of a building and the area immediately surrounding the building to which the ground is to be or has been out or filled. Habitable room.

A room occupied by or designed for occupancy by one or more persons for living, sleeping, eating or cooking, including kitchens serving a dwelling unit but not including bathrooms, water-closet compartments, laundries, serving and storage pantries, corridors, cellars. attics, recreation rooms, and spaces that are not used frequently or during extended periods.

Incombustible. Material that will not of and by itself ignite when its temperature and that of the surrounding air is 1,200 degrees Fahrenheit (649

degrees Centigrade). A horizontal structural member supporting masonry above ar opening in a wall or partition.

Load, dead. The weight of walls, floors, roofs, partitions and other per manent portions of the structure.

A portion or parcel of land considered as a unit devoted to centain use or occupied by a building or a group of buildings that are united by a common interest or use, and the customary accessories and open spaces belonging to the same.

Lot Line. A line dividing one lot from another or from a street or other public place. In case any part of a lot lies adjacent to a public right-of-way or easement, the lot line of that pant shall be the right-of-way line or easement boundary crossing such part.

Masonry. Stone, brick, structural clay tile, concrete masonry units, gypsum tile or block, structural glass block or other similar building units or materials or a combination of same bonded together with mortar. Masonry also includes plain concrete.

Partition, bearing. A partition which supports any vertical load in addition to its own weight.

Partition; nonbearing.

A partition which supports no load other than its own weight

An isolated column of masonry. A bearing wall not bonded at the sides into associated masonry and whose length does not exceed

A well having a facing which is not attached and bonded to the backing so as to form an integral part of the wall for purposes of load bearing and stability.

Manager open to the sky and unoccupied or unobstructed except

by encroschment or structures specifically permitted. All yard measurement shall be the minimum distances between the front, rear, or side yard line, as the case may be, and the necrest point of the building including enclosed or covered porches. Every paint of every yard shall be accessible from every other part of the same yard.

1. Yard, front. A yard across the full width of the lot extending from the front line of the building to the front line of the lot.

the rear yard or rear lot line, and from the side line of the building or shiplep. to the side lot line nearest that side of the building or any accessory building attached thereto. 3. Yard, rear.

A yard across the full width of the lot extending from the rear line of the building to the rear line of the lot. -ARTICLE III-

# SAFETY PROVISIONS

PART ONE — CONSTRUCTION
Sec. 300. QUALITY OF MATERIALS AND WORKMANSHIP

All building materials and workmanship shall be of good quality conforming to generally accepted standards. Except as may be otherwise provided in this Code, the standards of the National Bureau of Standards are hereby declared to be acceptable good practice.

Sec. 301. MASONRY MIXES

301.1 Mortar. 1. PROPORTIONS — Mortars of the following proportions neasured by volume with the sand in a damp loose condition, shall be acceptable for the specific use mentioned in this section;

Type A - One part of portland cement to not more than 3 parts of sand with an addition of hydrated lime or lime putty of not more than 25 per cent of the cement.

Type B — One part of portland cement, one part of hydrated lime or lime putty, and not more than 6 parts of sand. One part of prepared masonry cement conforming to Type 11 of Federal Specification SS-C-181B to not more than 3 parts of sand.

2. USE - Type A mortar shall be used for all below-grade masonry construction. Type A or B montar shall be used for all above grade construction.

1. WORKABLE CONCRETE. Water used in mixing concrete shall be clean and free from deleterious amounts of acids, alkalies or organic materials. The maximum size of concrete aggregates shall not be larger than 1/5th of the narrowest dimension between forms of the member for which the concrete is to be used, not larger than 21/2 inches. Workable concrete shall be poured in accordance with the following table for the particular use specified:

Type of Concrete and Use	Wate Ceme	num Gallo er per Sac ent with Sa isture Con Indicated	Maximum Cubic Feet of Total Aggregate* per Sack of Cement	
	Dry	Average	Wet	
Type A—All concrete exposed to the weather or to water pressure or reinforced.	6	51/4	4%	6
Type B—All other concrete except Type C.	7	.6	5¼	61/2
Type C-Footings	7½	6½	5½	71/2

\*Proportion of sand (passing ¼ inch screen) to coarse aggregate (retained on 1/4 inch screen) shall be not less than 35 percent nor more than 50 percent by volume.

2. PROTECTION. When the temperature of the surrounding air is less than 40 degrees rainrenheit, the materials shall be heated without openings, each portion of such building shall be deemed a and the concrete projected for as much time as is necessary to insure All masonry shall be protected against freezing for at least 48 hours after placing. Unless adequate precautions against freezing are taken, no masonry shall be laid when the temperature is below 32 degrees Fahrenheit on a rising temperature or below 40 degrees on a falling temperature at the point where the work is in progress. In hot, dry weather, precautions shall be taken to prevent too rapio drying by sprinkling or shielding with damp earth, burlap or similar protective covering. No fresh masonry construction shall be

made upon frozen concrete. 3. OTHER REQUIREMENTS. For design principles and practices rigidity equivalent to the following: not specifically mentioned in this section, the standards set forth in the "Building Regulations for Reinforced Concrete" of the American Concrete Instituté, ACI-318, shall be acceptable.

Sec. 302. FOOTINGS AND FOUNDATIONS 302.1 General. All footings and piers shall be carried below local frost level, shall be on undisturbed soil, and shall be designed to properly and safely distribute the superimposed load. Where soil conditions are unstable, the building inspector may require additional provisions to insure stability. Drain tile shall be used around base-

ment foundations where conditions require it. 302.2. Size of footings and piers. Footings for all load bearing walls shall be of concrete at least eight (8) inches wider than the walls directly supported thereon and shall not be less than eight (8) inches thick. Footings of piers shall have a minimum area of square feet and 12 inches depth.

302.3 Chimney footings. Chimney footings shall have a minimum projection of 6 inches beyond outside dimensions of chimney foundation and a minimum depth of 12 inches.

302.4. Foundation walls. Foundation walls shall be of continuous masonry construction and shall center on footings and shall be of the following thickness: If built of brick, concrete, hollow blocks or solid blocks, the thickness shall be not less than 12 inches; provided that when such walls of buildings do not extend more than 6 feet than that of the width of the studs. below the adjacent ground level, the minimum thickness of masonry or concrete walls shall be 8 inches. Foundation walls shall never

be thinner than the wall being supported. 302.5 Hollow masonry unit walls. Eight inch walls of hollow masonny units shall have 12 inch bonded pilasters with 4 inch projection at girder bearings and at least every (24) twenty-four feet along run of wall between cross walls or corners. All walls below grade to be plastered and waterproofed.

302.6 Openings for inspection and repair. Am opening of not less than 16 inches high and 2 feet wide shall be installed to provide partitions which are devoid of openings may be made up of 2 by access for inspection and repairs of each unexcavated space under 4's spaced 16 inches on center and set the 2 inch way. wood or metal floor construction, or under concrete slabs where piping, duct work, etc., requiring periodic inspection or repair are

302.7 Wall vents. Wall vents proportioned on a basis of 1 square foot for each 25 lineal feet of exterior wall shall be installed for ventilating all dead air spaces under wood or metal floor construction and each such space shall have vents in at least two walls, except that only 1 vent into a basement or cellar will be acceptable. Non- or subfloor, the stude shall bear on a sole plate at least 2 inches corrodible screening of not over 1/2 inch mesh shall be installed in thick. each outside vent opening.

302.8 Concrete slabs on ground. Buildings constructed on concrete slabs will be acceptable when the construction of the slab meets the approval of the building inspector. Sec. 303. MINIMUM DESIGN LOADS

All floors shall be designed for the dead load plus a live load of not less than 40 pounds per square foot of floor area. All roofs shall be designed for the dead load plus a live load of not less than 30 pounds per square foot of horizontal projection. Sec. 304. WOOD CONSTRUCTION

304.1. General requirements, Working stresses and design. Compliance with the standards set forth in the publications "Minimum Construction Requirements for New Dwellings Located in the State of Michigan", revised May 15, 1940, Federal Housing Administration, FHA form No. 2209, or "National Design Specification for Stress-Grade Lumber and its Fastenings", first edition 1944, National Lumber Manufacturers Association, shall be acceptable.

members required by this Code refer to nominal sizes, American Lumber Standards for dressed sizes shall be accepted as the minimum net sizes conforming to nominal sizes. Computations to determine the required sizes of members shall be based on the net i dimensions (actual size) and not the nominal sizes.

than two (2) inches x eight (8) inches up to and including fourteen (14) feet spans - two (2) inches x ten (10) inches up to and including eighteen (18) feet spans and two (2) inches x twelve (12) inches up to and including twenty four (24) feet spans. For second In no case shall any floor joist be less than two (2) inches x eight special written permission from the building inspector. (8) inches nor spaced further apart than sixteen (16) inches center to center, except that attic joist may be two (2) inches x six (6) duches. Sub floors shall be required on top of first and second floor A yard extending from the front yard or front lot line to joist and shall not be less than one (1) inch commercial flooring

3. SPLICING. Splicing of wood joists between bearing points

will not be permitted. 4. GIRDERS. Girders may be structural steel, solid wood, built-up wood or reinforced concrete. All built-up wood girders shall have joints broken at no less than 8 foot intervals. No floor girder or beam used to carry first floor construction shall have a gneater unsupported span than eight (8) feet and if of wood shall not be less than six (6), inches x eight (8) inches.

5, WOOD COLUMNS. Wood when used as columns in base ments shall bear on a cement base 8 inches by 8 inches which shall extend 3 inches above the finish floors. The base shall bear directly on the post footing.

304.2 Floor, ceiling and roof framing.

1. JOIST SUPPORTS. Where floor joists frame into the side of wood girders the joists shall be supported on metal joist hangers or on a wood bearing strip spiked to the side of the girders. Ends of the floor joists framing into masonry walls shall be supported on metal joist hangers or shall have not less than 4 inch bearing. Am air space of 1/2 inch shall be provided at ends and sides of wood joists framing into masonry.

2. OVER UNEXCAVATED AREAS. Floor joists shall have a clearance of not less than 18 inches between the bottom of the joists and the surface of the ground underneath in unexcavated

3. MULTIPLE JOISTS. Floor joists shall be double under all non-bearing partitions which run parallel to the floor joists. Joists under bearing partitions shall be multiplied in sufficient number to adequately support combined loads. Doubled joists shall be separated and block at 4 foot intervals where piping or duct work occurs.

4. HEADERS AND TRIMMERS. Headers and trimmers shall be doubled except that headers 4 feet or less in length may be of single thickness provided the headers are supported in metal joist hangers, or on columns or posts, or on not less than 2 inch by 3 inch ledger boards and header is secured by spikes driven through one thickness of the trimmers into the ends of the headers. Headers receiving more than 4 tail beams shall have ends supported in metal

5. LAPPED JOISTS. Ends of lapped joists shall rest on girders or on bearing partitions and shall be securely nailed to plate and to each other.

6. BRIDGING. Floors, and flat roof joists shall be cross-bridged et intervals not to exceed 8 feet and double nailed at each end. 7. DEFECTS. Where the structural strength of framing members is definitely impaired by inherent defects or by cutting or drilling, such members shall be reinforced or replaced as required by the building inspector.

8. ACCESS. An opening not less than 24 inches by 30 inches for access into each attic space shall be provided.

9. VENTILATION. All attics and spaces between flat roofs and ceilings shall be ventilated by screened louvers or other mean approved by the building inspector. 10. COLLAR BEAMS. When ceiling joists do not serve as tles

for the rafters, collar beams of 1 by 6's or 2 by 4's shall be installed on at least each 3rd pair of roof rafters and shall be securely nailed to the rafters. Maximum spacing of collar beams, 5 feet on center. 11. ROOF RAFTERS. Roof rafters shall not be less than two

(2) inches x six (6) inches for spans (figured on the horizontal projection of 12'0" and over.) Hip rafters shall not be less than two (2) inches x six (6) inches and if longer than twenty (20) feet they shall be not less than two (2) inches x eight (8) inches. Rafters shall in no case be spaced further apart than twenty (20) inches center to center.

12, VALLEY RAFTERS. The depth of ridge boards and valley rafters shall be not less than the abutting rafters. Valley rafters shall be not less than 2 inches thick. All rafters shall be securely spiked to the supporting members.

13. DOUBLE RAFTERS, All openings in roof construction for dormer windows which are not supported on partitions shall be framed with double rafiters and headers.

304.3 Exterior walls. 1. FRAMING, All external wall covering materials shall be moisture-resistant, of sufficient stiffness and properly anchored to remain in place during high winds and be reasonably permanent, provided however, that no type of material shall be used other than those types approved by the township board. A list of such approved materials may be obtained from the building inspector. All exterior wood or metal stud walls shall provide strength and 2 inch by 4 inch wood studs spaced not more than

16 inches on center for walls supporting floor loads. 2 inch by 4 inch wood studs spaced not more than 24 inches on center for walls that do not support floor loads.

All studs shall be securely fastered to plates top and bottom Walls shall have corner posts either built-up or solid of not less than three 2 by 4's. Top plates shall be not less than doubled 2 by 4's which shall lap at all corners and at all intersecting partitions All such laps shall be securely spiked. All window and door openings shall have study doubled on jambs. The inner stud shall be cut to receive the header over the opening and shall extend in one piece from header to bearing.

Headers over all openings shall be doubled and shall be se on edge. In lieu of headers, trussed construction may be used. Spans for headers shall not exceed the following for the size given: Spans up to 4 feet \_\_\_\_\_ two 2 by 4's

Spans 4 feet to 5 ½ feet \_\_\_\_\_ two 2 by 6's. Spans 5½ feet to 7 feet \_\_\_\_\_ two 2 by 8's Spans over 7 feet \_\_\_\_\_ two 2 by 10's

2. SILLS. The sills of frame walls supported directly or masonry shall be not less than 2 inches thick and not less in width

3. SHEATHING. Sheathing may be of wood, structura insulation board, gypsum board, plywood, or other materials approved by the building inspector. 304.4 Interior partitions.

1. BEARING PARTITIONS. Studs of all bearing partitions and studs of all non-bearing partitions exceeding 6 feet of unsupported length which contain openings shall be made up of 2 by 4's spaced not more than 16 inches on center and set the 4 inch way: 2. NON-BEARING PARTITIONS. Studs of all non-bearing

3. OPENINGS. All openings in interior bearing partitions shall have jambs and heads double-framed same as required for exterior

TOP PLATE. The top plates of all bearing partitions shall be doubled. All partition plates shall lap at all intersecting partitions

and at outside walls and shall be securely spiked. 5. SOLE PLATE. When partitions frame on top of the joists

304.5 Prefabricated building. That nothing herein shall be construed to eliminate construction or erection of a prefabricated type building, if such type building meets

United States government Federal Housing Administration require-Sec. 305, MASONRY CONSTRUCTION

305.1 Walls. 1. SOLID-BRICK WALLS. Solid-brick bearing walls shall be not less than 8 inches thick. There shall be a header course in all brick walls at least every seventh course on both sides of the wall or there shall be at least one full-length header in every 11/2 square

feet of wall surface. 2. HOLLOW MASONRY UNIT WALLS. The minimum thickness of bearing walls of structural clay tile or concrete masonry units shall be not less than 8 inches. Hollow masonry units shall have full mortar coverage on vertical and horizontal edges of the face shells. Where 2 or more hollow units are used to make up the 1. SIZES OF LUMBER MEMBERS. Minimum sizes of lumber thickness of a wall, the inner and outer course shall be bonded at ventical intervals not exceeding 34 inches by lapping at least 4 inches or by lapping with units at least 50 percent greater in width than the units below.

3. BRICK VENEERED WALLS, Thickness of brick veneer shall be not less than 3% inches properly anchored with rust-resting

2. JOIST SPANS. First floor joist, if of wood shall not be less | wall ties and with at least one tie in every three square feet. The be used for one-story dwellings upon approval by the building

inspector. 4. EXISTING WALLS. No existing wall shall be used for renewal or extension of a building or be increased in height without

305.2 Lintels and arches, The masonry above openings shall be supported by arches of masonry or lintels of steel or reinforced concrete, which shall bear on the wall at each end for not less than 4 inches and shall be supported as required for concentrated loads.

305.3 On masonry construction. All structural members producing concentrated loads shall have bearings at least 3 inches in length upon solid masonry not less than 4 inches thick. Metal bearing plates of adequate design and dimensions but not less than 1/4

inch thick may be used, 305.4 Support on wood. No masonry construction shall be supported on wood construction. No timber except nailing blocks not exceeding an ordinary brick in size, shall be built in as part

of masonry walls. Sec. 306. STRUCTURAL STEEL AND IRON-WORKING STRESSES, DESIGN AND FABRICATION

Compliance with the standards set forth in the "Specification for Design, Fabrication and Erection of Structural Steel for Buildings", as adopted by the American Institute of Steel Construction, founth edition 1942, shall be acceptable.

### -ARTICLE III-SAFETY PROVISIONS PART TWO - FIRE PROTECTION

Sec. 307. FIRESTOPPING.

FIFTHER TO POST OF

307.1 General. Firestopping shall be supplied at the locations ecified in this section and shall be so arranged as to cut off all concealed draft openings and form an effectual fire barrier between stories and between the upper story and the roof space.

307.2 Exterior walls. 1. WOOD CONSTRUCTION, Exterior walls of wood construction shall be properly firestopped at each floor level and at the level where the roof rafters connect with the wall plate.

2. FURRED SPACE. For all masonry walls that are furred or studded off, the space created by the furring or studding shall be properly firestopped once in each story. Space around chimneys

shall be firestopped with incombustible material. 307.3 Partitions. Where stud partitions rest directly over each other and the studs run down between the floor beams and rest on the top plate of the partition below, the spaces between the studding

shall be properly firestopped. 307.4 Stairs. The space between stair carriages shall be firestopped by a header beam at top and bottom. Where a stair run is not all in one room or where a closet is located beneath the stairs, the stair carriage shall have an intermediate firestop so located as to cut off communication between portions of the stairs in different rooms or between the closet and the room in which it is placed. Such stops shall be made of plank or other suitable

307.5 Pipes or ducts. Where any pipe or duct passes through floor, the space between the pipe or duct and floor construction shall be firestopped. Where the installation of pipes, ducts or conduit iri walls, floors or partitions require the removal of any firestopping, the spaces around the pipes, ducts or conduit at such points where such firestopping was removed, shall be tightly filled with asbestos, mineral wool or other incombustible material.

307.6 Inspection. No firestopping shall be concealed from view until opportunity has been given the building inspector to inspect the

Sec. 308. CHIMNEYS, FLUES, AND SMOKE PIPES 308.1 General. Chimneys shall be constructed in accordance with good practice provided that the specific requirements of this

Code shall be observed. 308.2 Construction of chimneys. 1. MATERIALS. Chimneys shall be constructed of brick, stone or of reinforced concrete. When constructed of laid-up masonry units, such units shall be not less than 31/2 inches wide laid with full head and bed joints of Type A or Type B mortar (see Section, 301.1 of this code.) No chimney shall be constructed unless it shall first have been proven to the satisfaction of the building inspector to be the equal of or superior to solid masonry units. Flue linings

shall be required under conditions indicated in another part of this section. Variations from specific requirements noted herein shall be subject to the approval and labeling requirements of the building inspector. 2. FOUNDATIONS. Masonry or reinforced concrete chimneys shall not rest upon or be carried by wood floors, beams or brackets, nor be hung or supported by metal stirrups from wood construction but shall be built upon concrete or masonry foundations or reinforced concrete slabs properly proportioned to carry the load without danger of settlement or cracking. The footing shall rest on solid

earth and shall be carried below the frost level. 3. BONDING. Masonry or reinforced concrete walls of buildings may form parts of chimneys when the chimney walls are securely bonded into the walls of the building and when the flue is lined

with flue lining the same as an independent chimney. 4. CORBELING OF CHIMNEYS. Corbeled chimneys shall not be supported by hollow walls, cavity walls or walls of hollow units. Solid walls supporting corbeled chimney shall not be less than 12 inches thick and corbeling shall not project more than 1 inch per course and not more than 6 inches in any case. The total offset, overhang or corbel of an independent chimney shall not exceed 3/8 of the width of the chimney in the direction of the offset.

5. HEIGHT. Chimneys shall be built at least 3 feet above flat roofs provided that the tops of chimneys shall not be below the tops of adjacent parapet walls. In the case of sloping roofs, chimneys shall be not less than 2 feet above the ridge of the roof that the chimney penetrates and not less than 2 feet above the highest ridge within 10 feet of the chimney. Unless provided with a stone, terra-cotta, concrete, cast iron or other approved cap or top, the chimney lining shall project not less than 2 inches. No chimney top shall decrease the required flue area.

6. CONCRETE CHIMNEYS. Concrete for chimneys cast in place shall flow readily, be well-rodded and shall be reinforced both vertically and horizontally.

7. FLASHING. Connections between chimneys and roofs shall be made with cap and base flashing of sheet metal or other approved material, arranged to allow for any lateral or vertical movement between the chimney and roof. 8. CHANGE IN INTERIOR DIMENSIONS. No change in the interior dimensions of chimney shall be made within a distance

of 6 inches above or below the rafters or roof joists: 1. GENERAL. Except as otherwise provided in this Code, every heating apparatus or heat producing unit referred to in this Code shall be connected with a flue conforming to the provisions of

this section. 2. FLUE LININGS. Chimneys built of brick, stone or other masonry units with walls less than 8 inches thick shall be lined throughout with fire-clay or other refractory clay lining not less than 5/8 inches thick, provided that metal or other approved fluc liners may be inserted in the flue to reduce it to a desired size. (Deterioration of fire-clay lining, commonly encountered where gas appliances are used, may be largely prevented by adherence to the provisions of Section 309.1 on Combustion.) Flues for the use of gas appliances only which are not suitable for solid or liquid fluels must be plainly and permanently labeled "This flue is for the use of gas burning appliances only". Such label shall be attached at a point near where the vent pipe enters the chimney or other permanent visible place. All masonry flue sections shall be set in

Types A or B montar as described in Section 301.1 of this Code. 3. SEPARATION. When two or more flues are contained in the same chimney, withes of brick or mortar not less than 3% inches thick shall be provided at intervals not exceeding 30 inches horizontally, but not more than 2 flue sections shall be placed side by side without such separation. Where the flue linings are not separated by withes, the joints shall be staggered and the vertical distance between the joints in adjoining flue limings shall be not less than 7 inches.

4. CONSTRUCTION. The masonry shall be built around each section of lining as it is placed and all spaces between masonry and inings shall be dilled with morter. Linings shall start at least 8 inches below the center line of smoke pipe intakes or in the case of fireplaces from the apex of the smoke chamber and shall be continuous the entire height of the flue. Whenever it is necessary to cut a smoke pipe intake opening into a flue lining already set in place, due care shall be exercised to prevent breaking away of in no case at an angle greater than 30 degrees from the vertical. the flue lining. Flues shall be built as nearly vertical as nossible but. Where flues change direction, the abutting linings at the angle

(continued on page 5)

joints shall be cut to lit closely and at no point shall the crosssectional area be reduced.

5. CLEANING. Flues shall be cleaned out thoroughly at the time of construction and shall be left smooth on the inside. 308.4 Smoke pipes.

1. CONNECTION WITH FLUE,

a. Connection required. Every smoke pipe shall connect

with a flue by means of a tight joint, b. Number limited. Not more than one smoke pipe shall be connected to a flue at the same level. A vent from a gas burning appliance may connect into the same flue as a smoke pipe providing the connection is above a smoke pipe. For other gas appliance restrictions, see Section 309.2 of this code.

c. Thimbles. Smoke pipes shall enter chimneys through a fire-clay or metal thimble or flue ring of masonry. Neither the intake pipe nor the thimble shall project into the flue.

2. PASSAGE THROUGH COMBUSTIBLE CONSTRUCTION. a. Ceiling, roofs and floors. No smoke pipe shall pass through a ceiling, floor or roof construction of combustible material. Vents for gas burning appliances shall not be construed to be smoke

bustible partitions unless protected by double metal ventilated metal lath or 3/8 inch gypsum plaster on 3/8 inch gypsum lath. Partitions. Smoke pipes shall not pass through comthimbles 8 inches larger in diameter than the pipe or 4 inches larger in diameter than the pipe with the space between the pipe and thimble solidly filled with approved incombustible insulating material, or unless protected by a concentric sleeve of diameter 2 inches larger than the pipe with the space between filled solidly with incombustible insulating material and the outside surface of the sleeve distant at least 2 inches from combustible material.

c, Clearance from combustible construction. The distance in all directions between a smoke pipe and combustible construction, including plaster on a combustible base, shall be not less than 12 inches provided that this clearance may be reduced 1/2, when such construction is protected by a cement-asbestos board or by rock latin and plaster % inches thick, or asbestos milliboard not less than ¼ inch thick or equivalent approved covering extending the full length of the smoke pipe and not less than 6 inches beyond it on all sides or where plaster is on metal or wire lath.

308.5 Additional requirements. Except as may be otherwise provided by this section, the standards set forth in the Building Code, 1943 edition, recommended by the National Board of Fire Underwriters of New York (copy on file in the office of the building inspector) shall be used by the building inspector as a guide for acceptable construction and installation of chimneys, flues, vents for gas appliances and smoke pipes.

Sec. 309 HEATING APPLIANCES 309.1 General, Heating appliances shall be installed in accor-

this code shall be observed. COMBUSTION. Adequate facilities shall be provided in all the appliances so located.

CLEARANCE FOR HEATING FURNACES, No hot air, hot water, steam heating or other type of furnace described herein shall be located nearer than 24 inches in any direction to wood work or other combustible construction, including plaster on a combustible base, unless such furnace shall be enclosed in a jacke providing an air space or which is insulated in an approved manner and the combustible material is protected with 3/8 inch gypsum board under 1/8 inch asbestos board, or with % inch portland cement plaster on metal lath, or equivalent protection, in which case this clearance may be reduced to not less than 6 inches.

3. DUCTS, Warm air duots, fittings and connections in warm air heating plants shall be made of bright tin or of galvanized iron or of such other incombustible material as may be approved by the building inspector.

309.2 Gas appliances.

1. GENERAL Except as may be otherwise provided in this section, compliance with the standards set forth in the "Requirements and Recommended Practice for House Piping and Appliance Installation", 1940 edition, and "Requirements for Installation of Conversion Burners in House Heating and Water Heating Appliances", 1940 edition, of the American Gas Association, shall be

2. GAS FIRED FURNACES. Gas fired steam or hot water furnaces shall be installed as prescribed in this Code for gas heating appliances and shall be connected with a smoke flue conforming to the requirements of this Code.

GAS LOGS-RADIANT HEATERS. No gas log, gas grate or similar heating apparatus or appliance shall hereafter be installed except in a fire-place constructed as prescribed by this Code and connected with a smoke-flue or outlet pipe as hereinafter set forth provided that, if such appliance shall be determined to be of a type which cannot produce an explosive mixture or asphyxiating condition in the room or space where it is installed, these requirements may be waived by the building inspector.

4. LIQUIFIED PETROLEUM GASES. The reg ing the use of liquid petroleum gases as set forth in the state fire marshal's regulations shall be standard for all installations using this type of fuel.

5. VENTING. Outlet pipes for venting gas appliances shall be standard cast iron soil pipe, terma cotta pipe or other approved incombustible material so connected as to prevent leakage at the joints. Such outlet pipes shall have a cross sectional area of not less than the aggregate area of the vent outlets of the appliances connected to them. Such outlet pipes shall be connected to chimneys or be carried to and through the roof or through an extenior wall to the outer air. When not connected to chimneys they shall be sur- aird all rooms located therein except storage rooms shall be lighted mounted by a suitable cap. The vent from a gas appliance properly protected with a safety pilot may be interconnected with, any appliance burning gas or other fuels. A gas appliance vent pipe when the appliance is protected by a safety pilot and smoke pipe from the appliance burning another fuel may be connected into the same flue through separate openings not on the same level, or may be connected through a "Y" fitting located close to the chimney. Unless insulated with not less than one thickness of asbestos paper weighing not less than 12 pounds per 100 square feet, or with equivalent protection, such outlet pipes shall be separated from woodwork or other combustible material by a clearance on all sides

of not less than one inch. 309.3 Oll-fired installations, Installations of this type shall be installed in accordance with the regulations set forth in Act-319 of the Public Acts of 1929, State of Michigan.

309.4 Steam and hot water boilers. Except as may be otherwise provided by law in this section or elsewhere, steam and hot water heating boilers shall conform to the code for "Low Pressure Heating Boilers", 1940 edition with addenda pages issued up to and including the year of 1943, of the American Society of Mechanical Engineers 309.5 Fireplaces.

1. USE OF FIREBRICK, The backs and sides of fireplaces shall be of solid masonry not less than 8 inches in thickness. A lining of firebrick at least 2 inches thick or other approved material shall be provided unless the total thickness is 12 inches.

2. INCOMBUSTIBLE HEARTHS. Fireplaces shall have hearths of brick, stone, tile or other approved incombustible material supported by a fireproof slab or on brick trimmer arches. Such hearth shall extend at least 16 inches outside the chimney opening at the breast and not less than 8 inches on either side of the fireplace opening along the chimney breast. The combined thickness of hearth and supporting construction shall not be less than 6 inches at any point, provided that where designed and used for approved gas appliances only, the construction shall be such as shall fully meet good standard practice.

309.6 Water heaters. Water heaters shall be connected to smoke flues or outlet pipes as herein-before provided for gas appliances, provided that such connection may be waived by the building inplosive mixture of asphyxiating condition in the room or space where per foot. Such sewer shall be constructed of impervious materials

it is located. 309.7 Additional requirements, Except as may be otherwise provided by this section, the standards set forth in the Building and approved by the building inspector. Code, 1943 edition recommended by the National Board of Fire Underwriters of New York (copy on file in the office of the building inspector) shall be used by the building inspector as a guide for acceptable construction and installation of the following items:

Cooking Appliances

Floor Furnaces Steam and Hot Water Pipes Warm Air Heating and Air Conditioning Systems Sec. 310. ELECTRICAL WIRING AND OUTLETS

in every case be done in a sefe and workmaniske manner. The 2. No storm water from roofs or catch basins designed to carry of any provisions of this Code or any other applicable ordinance, regulations of the National Electrical Code, 1951 edition, shall be surface water from public or private property shall be discharged of any provisions of this Code or any other applicable ordinance,

company serving the area. Such code and regulations as it applies to any building shall be the latest edition of that code effective at the time of beginning of construction of such building,

Sec. 311. COMBUSTIBLE MATERIALS AND STORAGE SPACES No dwelling or any part thereof nor of the lot upon which it is situated shall be used as a place of storage, keeping or handling of any article dangerous or detrimental to life or health; nor of any combustible article, except under such conditions as may be prescribed by the building inspector under authority of a written permit issued to the occupant of the dwelling.

Sec. 312. PRIVATE GARAGES . No garage not of fireproof construction shall approach closer to any portion of the dwelling or enclosed projection thereof than

feet except as provided below. 312.1 Attached or adjacent garages, Stonage garages having no more than 500 square feet of floor area may be attached to or erected within 6 feet of a dwelling provided that the interior face of all walls not of masonry construction and the ceiling of such garage, where the roof is not of fireproof construction, shall be protected with not less than % inch of gypsum or portland cement plaster on

312.2 Garages located under dwellings. Storage garages having not more than 400 square feet of floor area may be located under a single dwelling, provided that the interior face of all walls of the garage not of masonry construction and the ceiling of such garage where the floor above is not of fireproof construction, shall be protected with not less than 34 inch of gypsum or portland cement plaster on metal lath or 3/8 inch gypsum plaster on 3/8 inch gypsum lath. Any stairway communicating with the dwelling above the garage below shall be separated from the garage, by a wall protected on the garage side as required for the enclosing walls of and eating, it shall have a filoor area of not less than 220 square the garage and equipped with a self-closing fire door at the garage feet. floor level.

Sec. 313. ROOFING Readily ignitible and hazardous roofing materials such as light asphalt or tar-impregnated paper and straw thatch, shall not be permitted.

Sec. 314. STAIRWAYS 314.1 Headroom. All stairs shall have unobstructed head room

of at least 61/2 feet measured ventically above the tread in line with the face of the riser. 314.2 Risers and treads. 1. STRAIGHT TREADS. In straight treads the nun of the treads shall be not less than 9 inches wide and the rise shall be not more than 7% inches high and tread shall be so proportioned to riser that

the sum of the height of 2 risers in inches, and the width of one dance with good practice provided that the specific requirements of litread in inches is not less than 24 nor more than 25 inches. The width of tread including nosing shall be not less than 101/2 inches. 2. WINDERS. Where winders are used the width of the tread at a point one foot from the center of rail or newel shall be not room shall have 1/2 of its height from floor to ceiling above the other spaces enclosing heat producing appliances and the area of less than 8 inches, and at a point 2 feet from the cereter of the ground elevation (finished surface) in the proximity of the windows such facilities shall not be less than the combined outlet area of rail or newel the width of the tread shall be not more than 12 inches. 314.3 Width. All stainways (except basement and grade landings) shall be not less than 3 feet in width in the clear. A handrail

shall be provided on the open portion of stairs which are not adjoining a wall or pantition. 314.4 Basement stairs. Basement stairs may be of the ship ladder type with a rise of 8 inches per tread and a minimum distance of 81/2 inches from face to face of riser.

### -ARTICLE IV PUBLIC HEALTH, SANITATION AND **GENERAL WELFARE**

Sec. 400 LIGHT AND VENTILATION

400.1 Yards. Yards shall conform to front, side, and rear yard equirements of Independence Township rural zoning ordinance. 400.2 Light and ventilation of habitable rooms.

1. The total glass area of required windows in any habitable oom shall be not less than one-tenth of the floor area of the room. 2. The total area of the ventilating portion of required windows in any habitable room shall be not less than 3 percent of the floor

400.3 Light and ventilation of bathrooms and water closet compartments. Bathrooms and water closet compartments shall be provided with natural light and/or ventilation by one of the following

1. A window which has a glass area of not less than 10 percel of the filoor area and is located in an exterior wall facing a street, alley, yard, or facing air shaft open to the sky, having a minimum width of 3 feet. Such windows shall have a ventilating area equal to 50 percent of the glass area.

Skylight, the construction of which shall provide light and ventilation to the outside air, equal to that ventilation required in item 1 above.

Ventilation ducts, provided such ducts have 2 square inches of area for each square foot of floor area with a minimum total area of 48 square inches and at least dimension of 3½ inches. The vent grills to the duct shall be located in or next to the ceiling of the ventilated space. A separate duct from each space or room shall min to and above the roof and shall be provided with a louvered vent stack, provided however, when an exhaust fan is used the duct opening may be located in an outer wall.

400.4 Light and ventilation of laundry and recreation rooms.

Laundry and recreation rooms located above the basement shall be lighted by windows located in exterior walls having a glass area of not less than 10 percent of the floor area and having a ventilating area not less than 4 percent of the floor area.

400.5 Ventilation of basement and cellars. Basements, cellars and ventilated by windows in exterior walls having both a glass and ventilating area of not less than 11/2 percent of the floor area 400.6. Ceiling heights. The minimum ceiling height in any room exclusive of a room used only for storage purposes shall be 7 feet,

6 inches except under sloping roofs where the minimum shall be feet, 6 inches for not less than 50 percent of the floor erea. Sec. 401 PLUMBING

401.1 General. The installation of all interior plumbing work shall comply with Articles I to XI inclusive of the State Plumbing Code of Michigan. In areas where the State Plumbing Code is in effect, evidence showing approval by the state plumbing inspector shall be required after final plumbing tests have been made. 401.2 Plumbing fixtures.

-1. Within each living unit there shall be provided the following olumbing fixtures: a. A kitchen sink properly located to facilitate food pre-

paration and dishwashing. b. A water closet located either in the bathroom or in a separate toilet compartment.

c. A bathtub or shower located in a bathroom or other equivalently ventilated space. 2. Each of the plumbing fixtures shall be permanently installed and connected to the plumbing system.

Sec. 402. WATER SUPPLY 402.1 Safe water supply required. Every living unit shall have available a supply of safe water obtained from (1) a public or municipal water supply if available; (2) a drilled, driven or dug

402.2 Private water supply. When a private water supply is required, the type, location and construction of the well shall be accordance with recommendations of the Michigan Department of Health as outlined in Engineering Bulletin No. 14, 1947 edition entitled "Ground Water Supplies for Homes and Small Institutions," Sec. 403. SEWAGE DISPOSAL

403.1 Public sewer system. Connection shall be made to public sewer system when available. The sewer line extending from the dwelling to the sewer in the street, alley or basement shall be at least 4 inches in diameter and have a fall of at least 1/8 inch its connection to the public sewer shall not be covered until inspected

403.2 Private sewer system. When a private sewage dispos stem is required the type, size and construction of all septic tanks tile disposal fields or seepage plts shall be in accordance with recommendations of the Michigan Department of Health, Engineer Mounting and Clearances of Heating Furnaces, Boilers and ing Bulletin No. 2, and Michigan State College, Extension Bulletin No. 118, second revision, as outlined in their joint builletin of June 1941 entitled "Septic Tank Sewage Disposal Systems for Michigan".

403.3 Discharge of sewer systems. 1. The house sewer or septic tank outlet shall not directly discharge into an open ditch, drain or stream nor into a closed drain

Sec. 404. DAMPPROOFING On existing dwellings if in the opinion of the Building Inspector water conditions necessitate damp-proofing basements the exterior walls below finish grade shall be protected by means of membrane water proofing or other satisfactory methods:

Sec. 405, RAT AND VERMINPROOFING 405.1 Openings screened. Any openings placed in exterior walls of dwellings beneath the first filoor level such as those used for ventilation shall be completely closed off with noncorrodible 16 mesh wire cloth and a substantial grille. All such materials shall aive openings not more than 1/2 inch in size.

Sec. 406. SIZES AND NUMBER OF ROOMS 406.1 Room requirements. Every dwelling structure shall conform in area to requirements of the Independence Township rural zoning ordinance and shall have not less than 2 rooms and one

406.2 Sleeping room. One room shall be designed for sleeping use and shall have a floor area of not less than 120 square feet, Where more than one bedroom is provided one bedroom shall have not less than 100 square feet and all other bedrooms shall have not less than 80 square feet of floor area.

406.3 Living room. 1. One room shall be designed for hiving use. When it is used only as a living room and space is provided elsewhere for cooking and eating, this room shall have not less than 150 square feet

of floor area. 2. Where this room provides the only eating space in the structure it shall be increased by not less than 40 square feet of

floor area. 3. Where this room provides the only space for living, cooking

406.4 Bathroom. The bathroom shall be of adequate size and properly planned to accommodate the fixtures as specified under Section 401.2 parts (b) and (c) of this Code.

Sec. 407 PRIVACY 407.1 Doors required. Each door opening which provides entrance to a bedroom or bathroom or toilet compartment shall be provided with a hinged door,

407.2 Access to bathroom. In dwellings containing not more than 2 bedrooms, access from the bedrooms to an only bathroom shall be had without passing through another habitable room. In dwellings containing 3 or more bedrooms access to the bathroom from 2 of the bedrooms shall be had without passing through another habitable room.

407.3 Access to other rooms. Access to a living room or to any bedroom shall be had without passing through a bedroom.

Sec. 408. BASEMENT ROOMS No habitable room shall be located in a basement, unless such light and ventilation as required for rooms of similar use above grade and shall be sufficiently well drained to remain dry.

### -ARTICLE V-ADMINISTRATION

Sec. 500. BUILDING PERMITS Before proceeding with the erection, alteration or removal of any residential building, a permit shall first be obtained by the owner or his agent from the building inspector. The application shall be made in writing and upon printed forms furnished by the building inspector. To determine satisfactory compliance with requirements the application shall be accompanied by 2 complete sets of plans and specifications conforming to requirements of Section 501 of this Code. When plans and specifications shall be found to conform with the provisions of this Code, the building inspector shall issue a permit, and when a private water supply or sewage disposal system is necessary he shall notify in writing the local health officer. One copy of the plans and specifications shall remain on file with the records of the building inspector, the other set to be stamped and kept at the construction site for reference until completion of the building

Sec. 501. PLANS AND SPECIFICATIONS 501.1 Site map. Drawings shall include a site map drawn to scale, adequately dimensioned, clearly showing the exact location of all structures existing or to be constructed. When a private water supply or sewage disposal system is necessary, the site map shall show the location of proposed well, septic tank and disposal field in addition to existing wells, septic tanks, sewer lines, drains, sewage disposal fields, seepage pits, privies and cesspools within 100 feet of the dwelling.

501.2 Yards. Front, side, and rear yards shall be clearly indicated.

501.3 Building plans. These drawings shall include (1) flloor plans of all habitable floors and the basement or foundation plan and such drawings shall clearly indicate sizes and spacings of all supporting members, sizes of rooms, glass areas, door openings and air runs; (2) a sectional drawing which shall clearly indicate sizes of footing, thickness of basement walls and all floor slabs, wall construction, sizes and spacing of framing members, ceiling heights and parapet heights.

501.4 Material equipment. Specifications describing the quality, kind, and grade of material and equipment, may be required, if not clearly shown on drawings.

Sec. 502 FEES For each building permit issued, the following fees shall be paid to Independence Township who shall place the same in a separate fund to be known as the "Township Building Code Fund" which fund shall only be used for the administration of this Code, as directed by the township board. No permit shall be valid until the required fee has been paid: For dwellings or residential use, 11/2 cents per square foot

with minimum fee of \$6. For garages and other buildings accessory to dwellings, cent per square foot with minimum fee of \$2.

All other structures or building, 1/2 cent per square foot with minimum fee of \$6. Provided, however, there shall be a maximum fee of \$50 for

An additional fee of \$2 shall be paid for each additional inspection, in the event that more than three inspections are necessary In the event a building permit is not issued the fee so paid shall be returned to the payer thereof.

Sec. 503. INSPECTION 503.1 Building Inspector. This Code shall be administered by the Supervisor, building inspector and such assistant inspectors as may from time to time be authorized and appointed by the township board. In the discretion of the township board, the duties of the building inspector or any assistant inspector may be combined with those of any other, officer or employee of the township.

503.2 Qualifications of building inspector. To be eligible for appointment as building inspector such person shall be generally informed on the principles and practices of good building construction, and on good practice in fire prevention, and on the proper installation of plumbing, heating and electric wiring of residential buildings in the course of construction. In case he is personally interested in the construction of any building subject to the provisions of the Code, the township board shall designate some other person to examine the plans, to inspect such building and to issue the necessary permits, approvals and certificates.

503.3 Notifications. As work progresses under a building permit the holder thereof shall cause the building inspector to be notified at the following stages of construction:

1. Upon completion of the footings and before erection of the foundation walls. 2. Upon completion of the rough trame of the structure in cluding the application of roof shingles and side wall sheathing and the installation of rough plumbing, rough electrical wining, and concealed heating ducts or pipes, chimneys and before lath is applied.

3. Upon total completion of the work authorized by the building permit and before occupancy. 503.4 Inspections and approvals. 1. Each inspection shall be made within 2 working days following receipt of notification. At the first inspection the building inspector shall determine to the best of his ability that the building has been located in accordance with the site maps and yard areas

will comply to the Code requirements. 2. If the construction meets the requirements of this Code at the stage of any inspection, the building inspector shall issue his written approval thereof and the permit holder shall thereupon be authorized to proceed in accordance with the building permit. 503.5 Violations and cancellation of permit.

1. Should the building inspector determine that the con-

considered as good standard practice by the building inspector. In juno a sewer special to be your special to be stayed until correction has been effected standard practice by the building inspector. In juno a sewer special to be your special to be your special to be stayed until correction has been effected. and approved by the building inspector upon notice and request

for re-inspection duly made. 2. Should the permit holder fail to comply with the requirements at any stage of construction, the building inspector is hereby empowered to cancel the building permit issued and shall cause notice of such cancellation to be securely posted upon said construction. Posting of such notice shall be considered sufficient notification to the permit holder of cancellation thereof. No further work shall be undertaken or permitted upon such construction until a valid building permit shall thereafter have been issued.

503.6 Certificate of compliance. No building hereafter constructed or altered into a dwelling shall be occupied in whole or in part for human habitation until the issuance of a certificate by the building inspector affirming that such dwelling conforms in all respects to the requirements of this Code. Such certificate shall be applied for, coincidentally with the application for a building permit and shall be issued not more than 5 days after the lawful erection, alteration or removal is complete and final inspection has been made.

503.7 Certificate of temporary occupancy. If a building which has been constructed as or altered into a dwelling is to be occupied in whole or in part for human habitation prior to official notice of complete compliance with the provisions of this Code, such occupancy will be unlawful until the owner has obtained a certificate of temporary occupancy from the building inspector stating that such dwelling is suitable for human habitation prior to official notice of complete compliance with the provisions of this Code. This certificate of temporary occupancy shall cover a period not exceeding 6 months and shall in no way supersede or replace the final compliance inspection of the premises by the building inspector, as provided by Section 503.6.

Sec. 504. PENALTY FOR VIOLATION OF CODE

Any person who shall violate any provision of this Code shall be deemed guilty of a misdemeanor and upon conviction thereof punished by a fine not to exceed \$100.00 and the costs of prosecution, or in default of the payment thereof by imprisonment in the county jail of not to exceed 90 days or by both such fine and imprisonment in the discretion of the court. Each day that a violation is permitted to exist shall constitute a separate offense. The imposition of any sentence shall not exempt the offender from compliance with the requirements of this Code.

Sec. 505. BOARD OF APPEALS In order that the provisions of this Code may be reasonably applied and substantial justice done in instances where practical difficulties are apparent or unnecessary hardship would result in carrying out the strict letter of this Code, a board of appeals shall be appointed by the township board whose duty it shall be to consider appeals from the decision of the official charged with the enforcement of this Code. Said board of appeals shall be the township board of appeals appointed under Act 134 of the Public Acts of 1943, the Township Rural Zoning Enabling Act. Sec. 506. ENFORCEMENT

That any violation of this ordinance shall be a muisance per se and may be abated or enjoined by suit by the township. Sec. 507 ENFORCEMENT

And that any public utility which shall continue to serve premises where this ordinance is being violated after having been notified of such violation by the township in writing, shall be guilty of violating the ordinance, and each day that such public utility shall continue to illegally serve and abet such violation be deemed a separate offense.

Sec. 508. SUB-STANDARD DWELLINGS Dwellings in existence at the effective date of this ordinance that do not conform to sections: 307.1, 307.2, 307.3, 307.4, 307.5, 308.1, 308.2, 308.3, 308.4, 308.5, 309.1, 309.2, 309.3, 309.4, 309.5, 309.6, 309.7, 310. 311., 313., 400.2, 400.3, 400.4, 400.5, 400.6, 401.1, 402.1, 402.2, 403.2, 403.3, 404., 406.1, 406.2, 406.3, 406.4, 407.1, 407.2, 407.3, 408., are hereby declared to be sub-standard dwellings. Such sub-standard dwellings may be occupied for a period of eightsen months from and after the effective date of this ordinance, but not longer. Unless such sub-standard dwellings have been improved so that they can conform to the enumerated sections herein mentioned and are no onger sub-standard, occupancy eighteen months from and after the effective date of this ordinance as a dwelling shall be deemed a violation of this ordinance. Each day of such illegal occupancy shall pe deemed a separate violation and penalties for such separate riolation shall be deemed cumulative.

From and after eighteen months from the effective date of this ridinance the Board of Appeals may grant, upon application in case of proven hardship, extensions not to exceed six months in duration allowing occupancy of sub-standard dwellings. Provided, that in no instance shall occupancy of sub-standard dwellings be permitted from and after three years from the effective date of this ordinance. 509. Forbearance in enforcement of this ordinance shall not be

deemed condonation of violation.

Sec. 510 REPEAL Any provisions of the Independence Township Rural Zoning Ordinance, being Independence Township Ordinance No. 2 of the Township of Independence as amended, that is inconsistent with the provisions of this ordinance are hereby declared rep force and effect. Provided that in instances where this Code or parts thereof inconsistent with the Independence Township Rural Zoning Code may be inapplicable, then such Rural Zoning Ordinance or any part thereof shall apply and be of full force and effect.

CONSTITUTIONALITY If any provision of this Code or the application thereof to any person or circumstance is held invalid, such invalidity shall not affect other provisions or applications of the Code which can be given effect without the invalid provision or application, and to this end the provisions of this Code are declared to be severable.

APPENDIX

REFERENCES TO SOURCES OF PUBLISHED MATERIAL

The following is a partial list of associations, government gencies or other mational organizations which publish recognized standards relative to building materials and workmanship, and a pantial list of their publications, some of which are specifically cited in the foregoing code. Whenever reference is made in a local ordinance to published standards, the date of the standards thus referred to, should be included.

American Concrete Institute—7430 Second Boulevard, Detroit, Mich. Building Regulations for Reinforced Concrete, ACI-318 American Gas Association, Inc.—420 Lexington Avenue, New York

17, N. Y. Requirements for Installation of Conversion Burners in House Heating and Water Heating Appliances, 1940 edition Requirements and Recommended Practice for House Piping and Appliance Installation, 1946 edition American Institute of Steel Construction, Inc.—101 Park Avenue,

New York, N. Y. Specification of Design Fabrication and Erection of Structural Steel for Buildings, fourth edition 1942 American Society of Heating and Ventilating Engineers-51 Medison.

Avenue, New York, N. Y. American Society of Mechanical Engineers—29 West 39th Street, New York 18, N. Y. Low Pressure Heating Bollers, 1940 edition with addenda

pages issued up to and including 1943 American Society for Testing Materials-260 S. Broad Street, Philadelphia, Pennsylvania American Wood Preservers Association—1427 I Street, N. W., Wash-

Federal Housing Administration—339 Penobscot Building, Detroit 26, Michigan Minimum Construction Requirements for New Dwellings

Located in the State of Michigan, revised May 15, 1940, FHA form No. 2298 Institute of Boller and Radiator Manufacturers—60 East 42nd Street,

Michigan Department of Health-Bureau of Engineering, Lansing, Michigan Engineering Bulletin No.2

Ground Water Supplies For Homes and Small Institutions, Engineering Bulletin No. 14, 1947, edition Joint Bulletin June 1941 with Michigan State College

Michigan State College—Extension Service, East Lansing, Michigan, Extension Bulletin No. 118, second revision Joint Bulletin June 1941 with Michigan Department of Health

Michigan State Plumbing Board-510 Bank of Lansing Building Lansing, Michigan Michigan State Plumbing Code Laws

National Board of Fire Underwriters-85 John Street, New York 7, N. Y.

(continued on page 6)

Building Code, 1943 edition National Electrical Code, 1947 edition National Bureau of Standards-U. S. Department of Commerce

Washington, D. C. \*American Lumber Standards

\*Building Materials and Structures Report \*Commercial Standards

National Lumber Manufacturers' Association—1319 18th Street, N. W. Washington 6, D. C. National Design Specification for Stress-Grade Lumber and

Its Fastenings, first edition 1944 National Warm Air Heating and Air Conditioning Association-145 Public Square, Cleveland, Ohio

Non-Ferrous Hot Water Tank Manufacturers' Association-75 Federal Street, Boston, Mass. Steel Boiler Institute Incorporated-366 Madison Avenue, New York,

Underwriters' Laboratories—207 E. Ohio Street, Chicago, Illinois U. S. Treasury Department—Procurement Division (Standards Division), Procurement Division Building, 7th and D Streets, S. W., Washington, D. C.


\*These publications may also be obtained at a small charge from the Superintendent of Documents, U. S. Government Printing Office

Washington 25, D. C. Any of the above codes expressly incorporated into this ordinance are available for public inspection at the Independence Township Clerk's office, Independence Township Hall.

This ordinance affecting the public health, safety, morals and welfare shall be effective 30 days after its publication in a newspaper of general circulation in the Township of Independence. Passed this 17th day of March A. D., 1952 by the Independence Township Board.

Yeas - Andrews, Walter, Doebler, Tucker, Terry. Nays - none.

HAROLD DOEBLER Independence Township Clerk 27th day of March, A. D. 1952



It's true! The home you've wanted, the charming, livable home of your heart can be built NOW - at reasonable cost. Plan books are available for over one hundred homes of moderate cost. We will be glad to assist you in estimating at No Extra Charge.

# THE RIGHT ROOF MEANS EVERYTHING!

It can MAKE or BREAK the appearance of your home. Discreet choice in the type of shingle, proper color scheme and quality for lasting satisfaction are imperative. You get all these essentials when you specify a BIRD ROOF. Remember, there is over a century and a half of manufacturing experience behind every BIRD shingle. Ask us about our financing plan.

We invite you to call on us for a line of complete builders' supplies - a Company which has been serving the community for over 25 years.

# Miller & Beardslee Lumber Company

Lumber, Paints and Builders' Supplies Clarkston Phone MA 5-2311



### RHEUMATIC FEVER SYMPTOMS OUTLINED

Rheumatic fever is one of Michigan's most dangerous diseases among school children, and each year takes the lives of more youngsters of school age than any other disease, the Michigan Department of Health said today. The great danger from rheum-

atic fever is a damaged hear which causes disability in varying degrees throughout life.

Rheumatic fever is not consid ered a contagious disease, but it flourishes in cold damp weather, under crowded living conditions and among children who are undernourished or who do not get proper rest. If often follows scarlet fever, a "strep" sore throat or

"bad cold". Rhèumatic fever in its early stages is not always easily recognized. The symptoms may be vague, including poor appetite, repeated nosebleeds, low unexplained persistent fever, rapid heart action or frequent complaints of pain in the arms, legs and abdomen. Other symptoms may be men. Other symptoms may be nervous twitching, small lumps under the skin, painful and inflamed joints. Any or all of these signs demand immediate attention of a physician if heart damage is to be avoided or at least minimiz-

To aid physicians in diagnosis and management of the disease the Michigan State Medical Society has established Rheumatic Fever Diagnostic and Consultation centers throughout the state.

Bed rest, penhaps for months, is often essential for protection of the heart of the rheumatic fever patient. Doctors' orders must be carried out to the letter. And when a child is allowed to get up, his activities must be guided within prescribed limits if heart damage has occurred.

Not all attacks of rheumatic fever result in heart damage. But parents should take no chances. It is estimated that more than 50,000 adults in the state are now suffering from heart defects as result of childhood rheumatic

## Legal Notice

RONALD A. WALTER-Attorney 5 South Main St., Clarkston, Michigan

No. 58 638 STATE OF MICHIGAN—The Probate Court for the County of Oakland. In the Matter of the Estate of Sarah In the Matter of the Estate of Safah Lowery, Deceased.
At a session of said court, held at the Probate Court in the City of Pontiac, in said County, on the 8th day of March, A. D. 1952.

PRESENT: Hon. Arthur E. Moore, of the claim.

ARTHUR E. MOORE,

March, A. D. 1952.

PRESENT: Hon. Arthur E. Moore,
Judge of Probate.

ORDER APPOINTING TIME FOR

HEARING CLAIMS

Notice is hereby given and it is
hereby ordered that the time and
place for hearing on claims against
the above estate shall be the 2nd day of June, 1952, at nine o'clock in the forenoon at the Probate Court in the Court House at the City of Pontiac,

Aichigan; All creditors or claimants against he above estate are further notified

and ordered to prove their claims at said hearing and prior to said hearing to file written claim therefor, with this Court and with the fiduciary of this estate, under oath, containing sufficient detail reasonably to inform the fiduciary of the nature and amount

ARTHUR E. MOORE Judge of Probate RONALD A. WALTER, Attorney for the Estate, 5 S. Main St.,

Michigan

Mar. 13, 20, 27; Apr. 3 ESTES & COONEY, Attorneys, 812 Pontlac State Bank Bldg.,

Pontiac 15, Michigan
No. 58,924
STATE OF MICHIGAN — The Probate
Court for the County of Oakland.
At a session of said Court, held at
the Probate Office, in the City of Pontiac, in said County, on the 10th day

or Marca, 1952.
Present, Hon. ARTHUR E. MOORE,
Judge of Probate.
In the Matter of the Estate of Helen

A. McFarland, Deceased.

L. R. McFarland having filed in said Court a petition praying that said Court adjudicate and determine who were at the time of the death the legal heirs of said deceased and entitled to inherit the real estate of which said deceased died seized.

It is Ordered, That the 7th day of April. 1952, at 9:00 o'clock in the fore-April, 1952, at 9:00 o'clock in the fore-noon, at said Probate Office, be and is hereby appointed for hearing said

ies whose addresses are known by personal service, or by registered mail with return receipts demanded, addressed to all their respective last known addresses.

ARTHIR E. MOORE ARTHUR E. MOORE

Judge of Probate ESTES & COONEY Attorneys 812 Pontlac State Bank Building ontiac, Michigan Mar. 13, 20, 27; Apr.

ESTES & COONEY, Attorneys 812 Pontiac State Bank Bldg. Pontiac, Michigan,

STATE OF MICHIGAN — The Probate Court for the County of Oakland. In the Matter of the Estate of

At a session of said court, held at the Probate Court in the City of Pontiac, in said County, on the 5th day of March A. D., 1952. Present, Hon. ARTHUR E. MOORE, Judge of Probate. ORDER APPOINTING TIME FOR HEARING CLAIMS

HEARING CLAIMS

Notice is hereby given and it is
hereby ordered that the time and
place for hearing on claims against
the above estate shall be the 2nd the above estate shall be the 2nd day of June 1952, at nine o'clock in the forenoon at the Probate Court in the Court House at the City of Pon-Michigan:

tiac. Michigan;
All creditors or claimants against
the above estate are further notified
and ordered to prove their claims at
said hearing and prior to said hearing to file written claim therefor, with

ARTHUR E. MOORE, Judge of Probate
ESTES & COONEY, Attorneys-at-Law
812 Pontiac State Bank Building Pontiac, Michigan Mar. 13, 20, 27; April

ESTES & COONEY, Attorneys. 812 Pontiac State Bank Bldg., Pontiac 15, Michigan.

STATE OF MICHIGAN - The Proba

Court for the County of Oakland.

At a session of said Court, held at the Court House in the City of Pontiac, in said County on the 12th day

of March A. D. 1952.
Present, Hon. ARTHUR E. MOORE, Judge of Probate.
In the Matter of the Estate of In the Matter of the Myrtle A. Bailey, Deceased. Norman Bailey having fill Pontiac, Michigan. -Bailey having filed in said Jan. 10, 17, 24, 31; Feb. 7, 14, 21, 28; March 6, 13, 20, 27; April 3. court a petition praying that the administration of said estate be grant-

administration of said estate be granted to Robert L. Jones or to some other suitable person,
It is Ordered, That the 7th day of April A. D. 1952 at nine o'clock in the forencon, at the Court House in the City of Pontiac, Michigan, be and is hereby appointed as the time and place for hearing said petition;
It is Further Ordered, That publication of a copy of this order once each week for three successive weeks previous to said day of hearing, in the The Clarkston News a newspaper printed and circulated, in said county, and that notice be given to the heirsand that notice be given to the heirs-at-law named in the petition for ad-ministration filed in this cause by ministration riled in this cause by personal service of a copy of this order, or by serving the same by registered mail with return receipts demanded, addressed to their respective left brown addressed to their respective left brown addressed to their respective. tive last known addresses, as shown by said petition.

ARTHUR E. MOORE ESTES & COONEY, Attorneys, 812 Pontiac State Bank Bldg., Pontiac 15, Michigan March 20, 27; April 3, 10

ESTES & COONEY, Attorneys. 812 Pontiac State Bank Building, Pontiac. Michigan

MORTGAGE SALE DEFAULT having been made for more than thirty days in the terms and conditions of a certain mortgage made by Oren Frick and Flossie Mae Frick, his wife, of Ortonville, Oak land County, Michigan, Mortgagors, to Harry E. Fenske and Minnie H. Fenske, his wife, Mortgagees dated the 2nd day of August, A. D. 1947, and recorded in the office of the Register of Deeds for the County of Oakland and State of Michigan the 15th day of November, A. D. 1947 in Liber 2185 Oakland County Register of Deeds Records on pages 159 and 160, on which mortgage there is claimed to be due, at the date of this notice, for principal and interest the sum of One Thousand Nine Hundred Twelve and 85/100 (1,912.85) Dollars, and an attorney's fee of Fifty (\$50.00) dollars, as provided for in said mortgage. No suit or proceedings at law or in equity having been instituted to recover the moneys se-

nstituted to recover the moneys se

cured by said mortgage or any part thereof. NOTICE IS HEREBY GIVEN, that by virtue of the power of sale con-tained in said mortgage, and the statute in such made and provided on Monday the 21st day of April, A. D. 1952, at 10:00 o'clock in the fore-noon, Eastern Standard Time, the ndersigned will at the easterly of Saginaw Street entrance of the Court House in the City of Pontiac, Oak-land County, Michigan, (that being the place where the Circuit Court for the County of Oakland is held), sell at public auction, to the highest premises described in said mort gage, or so much thereof as may be necessary to pay the amount so as aforesaid due on said mortgage, with seven per cent interest, and all other legal costs, charges and expenses, including the said attorney's fee, al any sum or sums which may be paid by the undersigned, necessary to protect his interest in the premises. Which said premises are described as follows:
All that certain piece or parcel of land situate in the Village of Ortonville, in the County of Oakland, the State of Michigan and described a

Lot 53 of Assessor's Replat of Original Plat, part of Sections 7 and 18, Town 5 North, Range 9 East, ac-cording to the plat thereof recorded

land County Records. HARRY E. FENSKE and MINNIE H. FENSKE

Dated January 7, 1952 ESTES & COONEY, Attorneys for Mortgagee 812 Pontiac State Bank Bldg.

ESTES & COONEY, Attorneys 812 Pontiac State Bank Bldg., Pontiac, Michigan STATE OF MICHIGAN — In The Pro- of June 1952, at nine o'clock in the

bate Court for the County of Oakland.

In the Matter of the Estate of Nick Michigan;

Michigan;

All creditors or claimants against the Probate Court, held at the Probate Court in the City of and ordered to prove their claims at the Probate.

Present, Hon. ARTHUR E, MOORE, Present, Hon. ARTHUR E, MOORE, Lugge of Probate.

ORDER APPOINTING TIME FOR HEARING CLAIMS Notice is hereby given and it is hereby ordered that the time and place for hearing on claims against.

the above estate shall be the 2nd day

forenoon the Probate Court in the Court House at the City of Pontiac; Michigan;
All creditors or claimants against the below exists are first the court of the co detail reasonably to inform the fi-duciary of the nature and amount of the claim.

ARTHUR E. MOORE

ESTES & COONEY, Attorneys, 812 Pontiac State Bank Sidg. Pontiac, Michigan. Mar. 13, 20, 27; April 3



# SOME GOOD NEWS ABOUT CANCER

\* Approximately one in four of the 158,000 lives lost each year in the United States from cancer could be saved if the knowledge already in existence could be made available to allassuming that the knowledge is acted upon promptly. Here are the danger signals:

- 1. Any lump or thickening, especially of the breast.
- 2. Irregular bleeding or discharge from any of the body openings. 3. Any sore that does not
- 4. Persistent indigestion. 5. Sudden changes in the form or growth of a mole
  - 6. Hoarseness persisting for two or three weeks. 7. Regional pain.

Only in the early stages can cancer be successfully arrested. At the appearance of suspicious symptoms see your doctor at once. For prompt, expert prescription service, call on us.

# **Drayton Drug Store**

E. G. GREER, Prop. Drayton Plains, Michigan

Laundry and Dry Cleaning We can serve you at your home with

LAUNDRY

# DRY CLEANING

Our routeman is in the Clarkston territory each Friday Phone us Collect on Thursday

# **Pontiac Laundry**

# No other low-priced car

# offers these fine features!

Every single feature shown here is offered only by Chevrolet in its field. And every single one means extra pleasure, extra safety, or extra economy for you. Yet again in 1952 Chevrolet is the lowest-priced line in its field! Come in and see for yourself!

The Only Fine Cars CHEVROLET

### BODY BY FISHER

CENTERPOISE

POWER

Vibration and power out" as engine is cen-tered and rubber-

cushioned between new high-side mountings.

Fisher Body sets the standard—for styling, for craftsmanship, for comfort! Fisher Unisteel construction is extra strong and sturdy.

4-WAY ENGINE LUBRICATION

Chevrolet's exclusive engine lubricating system supplies exactly the right kind and amount of lubrication to each moving part.

> POWERGLIDE AUTOMATIC TRANSMISSION

Powerglide is simpler fewer parts to wear. It's smoother-no complicated intermediate gears. (Optional on De Luxe models at extra cost.) CAST IRON

UNITIZED

KNEE-ACTION RIDE

Chevrolet's famous Knee-Action ride is now even softer,

absorbers give even finer ride control.

BRAKES

Big 11-inch brake

verage for more stopping power. Stops are smoother, safer, with less effort.

ALLOY PISTONS Pistons are of same material as the cylinder block-expand and contract at the same rate. Reduces wear,

ENGINE Teamed with Power-

MOST POWERFUL VALVE-IN-HEAD

glide is the most pow-erful valve-in-head engine in Chevrolet's field and an outstand-

E-Z-EYR SAFETY PLATE GLASS

WIDEST

TREAD

Chevrolet measures

5834 inches between

centers of rear wheels

— a broader base to

give you more sta-bility, less sway!

SAFETY PLATE GLASS

ALL AROUND

Chevrolet alone in its

field gives you safety plate glass in wind-shield and all win-

dows for a clearer, truer all-round view.

WIDEST

COLOR CHOICE

26 rich new colors and

. . widest choice in

Chevrolet's field. New

De Luxe interiors are

Lowest priced in its field!

This beautiful new Chevrolet Bel Air-like many Chevrolet models—list for less than any comparable model in the field. (Continuation of standard equip-ment and trim illustrated is dependent on availability of material.)

This superior tinted glass cuts down glare and heat from sun, glare from sky, snow and oncoming head-lights. (Optional at extra cost.)

DON PRINGLE CHEVROLET, INC.

Phone MA ple 5-5071

**Chevrolet and Oldsmobile** 

than ever is presented.

After all the billions spent to

aid, the free nations, we have a

only about 30 divisions, with 24

Western Europe put 200 divisions

start of World War II, yet now

they tell us they cannot suply 12

new divisions unless we increase

our financial aid even above levels

now proposed. That is why Prest-

dent Truman said he thinks the

If the other NATO nations are

unable to shoulder more of the

ause our foreign aid program

failed to strangle communism in

Western Europe and the inability

is a political inability. Production

of goods and services in Western

Europe today averages 140 per

cent of that prior to World War II, and population growth has aver-

and no peace in sight for nearly

Nearly \$12 billion of earlier

appropriated foreign aid funds re-

main as yet unexpended. Let us out the present excessive budget,

and see what is done with the un-

expended funds before weakening

ourselves further. That would

serve notice on our foot-dragging

allies to get busy and help them-

Res. — 200 S. Main St., Clarkston

Bus. - 73 W. Huron, Pontiac

U. S. 10 at M-15

two generations.

aged only sixteen per cent.

mutual defense burden, it is be-

may be too small.

### Church News

(continued from page 1) SUNNYVALE CHAPEL

Come In

and see our

complete line

of Draperies

Free Estimates

9:00 A. M. - Morning Worship. 10:15 A. M. - Sunday School. Mr. Floyd Evans, Superintendent, the inspiration of Bible study.

7:30 P. M. - Evening Service: DRAYTON PLAINS UNITED PRESBYTERIAN CHURCH Rev. W.J. Teeuwissen, Jr., Pastor

10 a. m. Bible School. You need

Expert Installation

# **Drayton Floor Fashions**

Phone OR 3-2552

Open 8:30 to 6 except Friday - 8 P. M.

JOHN H. BOWMAN

E. C. WHITAKER

11 a. m. Worship service. 6:15 p. m. Youth Fellowship 7:30 p. m. Evening Service. Wednesday, 7:30 p. m. Mid-week t lowship hour.

### ST. PATRICK'S CHAPEL Reverend M. V. Harris

Sunday masses at 7, 8:30, 10:30 and 12; Holy Days at 5:30 and 8. Daily masses at 8. Confessions on Saturday from to 5 P. M., and from 6:30 to

Baptisms by appointment. FIRST CHURCH OF CHRIST. SCIENTIST

71 S. Washington, Oxford Sunday School 10:30 A. M. Sunday Service 10:30 A. M. Wednesday Evening Service 8:00 Reading Room at rear of Church open Wednesday from 2 to 4 and to 8 P. M.

> FOR THE BEST MODERN & OLD TIME HAAN'S ORCHESTRA

Phone ORlando 3-6367

Large P. A. System

"What is reality?" Is the ques- this year. Now a bigger budget tion which confronts all mankind. This will be discussed in the Lesson-Sermon on the subject "Realty" to be read in all Christian bloody stalemate war in Korea. Science churches on Sunday, The Western Europe army has

The Golden Text is from Isaiah armed ready to fight. The rest of (6:3): "Holy, holy, holy, is the the proposed 50-division army ex-Lord of hosts: the whole earth is ists only on paper. full of his glory".

Among the Bible citations this passage, (I Cor. 2:9): "But as it is written, Eye hath not seen, nor ear heard, neither have entered into the heart of man, the things which God hath prepared for them that love him."

Correlative passages from "Science and Health with Key to the Scriptures' by Mary Baker Eddy include: "Spiritual sense is the discernment of spiritual good."

SASHABAW PRESBYTERIAN Reverend William, H. Bos

9:45 A. M. Song Service. Sunday School 10:00 A. M. 11:00 A. M. Morning Worship

Unilateral security may be no ANDERSONVILLE CHURCH Reverend D. J. Wasey, Pastor people, but are we to be made 10:30 A. M. Morning Worship. safer by sapping this country's 11:30 A. M. Sunday School strength to help others who dis-Lloyd Miller, Superintendent day such a strange unwillingness Prayer meeting on Thursday to help themselves? It is questionvening at 8 o'clock.

OUR LADY OF THE LAKES

Rev. F. J. Delaney, Pastor Sunday masses at 7:00, 8:30, 0:30 A, M. and 12:00 noon. Confessions at the church on Saturday from 4 to 5/and 7:30 to 9

Holy hour every Thursday at 7:30 P. M., followed by confessions.

DAVISBURG METHODIST

Rev. John Thomas Bell, Pastor Davisburg Methodist Church will continue its evangelistic effort, under the able ministry of the Reverend "Ding" Teuling, and his "magic chalk" each evening, with exception of Monday at 7:30, until Palm Sunday.

Friday, March 28, The Goodwill Class Fellowship is inviting everyone to attend a pot-luck supper at 6:00. This is a get-acquainted night with "Ding". Everyone is

Sunday, March 30 Morning Worship at 10:30, Rev. culing speaking. Church School at 11:45, Classe

suit you. Youth Fellowship at 6:45 Reaching Youth with the Truth: The Hour of Evangelism at 7:30 'Ding" and his magic chalk.

NEW HOPE BIBLE CHURCH Rev. Manly Higgins, Pastor 10:00 A. M. Sunday School. 11:00 A. M. Morning Worship.

MT. BETHEL METHODIST Rev. John Thomas Bell, Pastor Church School at 10:30. Morning Worship at 12:00 The Mt. Bethel Methodist

Church will co-operate with the Davisburg Methodist Church in their evangelistic effort, under the ministry of Rev. "Ding" Teuing, one of America's outstanding 'chalk artists' who will speak and draw each night. Services be-

NEWS AND COMMENT FROM

Administration spokesmen - recently took it upon themselves to voice what they called a "warning" to Congress that cuts in the \$7.9 billion foreign aid budge would impair national security The things they said sounded, to me at least, like that arrogance that take it of leave it spirit which has marked past demands for excessive grants of tax money for projects of doubtful value to

the American people. How can they justify, for exam ole, the fact that the new budget in the guise of military necessity contains a billion dollar waterway and power project in France involving 22 dams and 46 power stations? How can they justify it when our own St. Lawrence Seaway, which would cost us only about half a billion, goes begging, The St. Lawrence Seaway is a

military necessity, too. Congressional Committees were told the foreign aid budget is not padded, but reflects the magnitude of the peril to the American people. They were told other NATO nations are in no position to assume more of the mutual defense bur-

It was said the only alternative to mutual security now is selfecurity for the United States, involving mobilization like that at the peak of World War II, and that even such a mobilization would be no guarantee of Americam safety. The committees were reminded that the entire \$7.9 billion budget is but little more than the cost per month of World War II. The budget was called the best security investment at least

Perhaps the \$7.9 billion figure does reflect the size of our peril; perhaps, too; it reflects the proportions of the failure to meet that peril squarely and sensibly. When the Marshall Plan was adopted, Congress was told all need for foreign aid of any kind would end

# **NEWS LINERS**

We have several good 2 pc. used Living Room Suites. Reasonably Winglemire Furniture Store -- Holly. in the field on short notice at the

> For Sale - Hay, Corn. Can deliver. Phone MA 5-3502. 29c4

Hand made dresses and pinasizes 1 to 6. Handcraft House, 5775 Dixie Highway in \$7.9 billion foreign aid budget 28tkc Waterford.

> Electrical Wiring, new and repair work. Prompt Reliable Service. Johnston Electric, MYrtle 3-7811. Hot Point Appliances, 166 Broadway, Lake Orion. 28tkc MONUMENTS & MARKERS

> At price you can afford to pay MILFORD GRANITE WORKS MILFORD, MICH.

Wanted To Rent - Farm land for oats, corn, wheat, rye, 1st and guarantee of safety for American 2nd cutting hay. Cash paid. Phone

WILLIE SUTTON TALKS

In an exclusive interview, Willie Sutton tells the amazing story of his life and career as America's It is true that World War II No. 1 bank robber, Read "Willie cost us \$210 billion in four years, Sutton Talks". It's one of many but in that war America was absorbing features in this Sunflightling to win. Now we flight only day's (March 30) issue of The to contain the enemy. Such a war American Weekly, exclusively of attrition could, and probably with Detroit Sunday Times You're MISSING something if you will, last half a century and cost Americans, at the present rate, miss Sunday's Detroit TIMES! \$400 billion, with uncounted dead

Clarkston

News Liners

**Bring Fast Results** 

Phone MA 5-6481

FRANK RICHARDSON

Automobile — Fire — Burglary — Etc.

INSURANCE

BEER TO TAKE-OUT

LUNCHES - DINNERS

Open 'til 2 A. M. Phone MA ple 5-7551

PLASTERING

New or repair, all work guar anteed, Call F. Tomlin - South field 3462 or write: 24600 Rutland Avenue, Detroit 35, Michigan

FREE-a 40 oz. Rug Pad with the purchase of any Alexander Smith Floor Plan Rug in stock Winglemire Flumniture Store -

Lawn Mowing Season will soon be here. Why not be ready. Have your present mower sharpened and repaired by skilled mechanic, or better wet -- turn it in on 🛋 new one. We have 6 models of lacobsen mowers; 3 models of Pincors, Reo's and Cooper Klipper - also rotary mowers, Worthingion, Bolens, Pincor and Mow-Master. Call for demonstration at Evans Equipment, 6507 Dixie Highway, phone MA 5-7878 or OR 3-8596.

For Rent-small apartment suitable for couple or single person, hot and cold running water electric stove, garage if needed Phone MA 5-5896. 27c4

Gifts for all occasions. cards

ift wrappings. Handcraft House. 775 Dixie Highway. SPECIAL: 3 pc. Red or Gray Sectional Sofa and four tables.

Only \$198.89. Winglemire Furniture Store -- Holly. For Sale - Baled alfalfa and

prome hay. Hal Brown's, phone

When you see "JIM" don't think of Farm Equipment but when you think of Farm Equipment see

Your JOHN DEERE Dealer Sales and Service Davisburg ... Phone Holly 7-3632

He makes Communists surrender -- and likes it! Meet Ramon Mag Say, Defense Secretary of the Philippines -- "The Man Who Knows How To Beat Commun. ism" in The American Weekly the great color magazine distrib uted with Sunday's Chicago Herald-American. Learn how he convinced those who surrendered that the Marxist philosophy of life is wrong. Don't miss this exclusive article in the great color magazine distributed with Sunday's Chicago Herald-American.

piece or a house full-for cash. Attend our weekly Auction, every Friday evening, B. & B. Auction Sales, 5089 Dixie Highway, Phone ORlando 3-2717. Waterford, 30tkc

Furniture bought and sold-one

Are you looking for a used Refrigerator? See our choice today. Winglemire Furniture Store, Holly

Gravel for driveways, top soil and fill dirt; trucking and tracter work of all kinds. Ben M. Powell, MA ple 5-3508.

Accurate saw filing by machine. Bill Kelley, 5050 White Lake Road,

phone MA 5-3042. Road gravel, washed sand and gravel, black dirt, bull dozing and landscaping. Phone MA 5-4899.

Wide assortment of Table Lamps. As low as \$4.95. Wingle-

mire Furniture Store -- Holly. Trees, trimmed, cut down and

hauled away. Chain saw for rent. Ben Powell. Phone Clarkston MA 5-3508. High powered sanders, edgers

hand sanders; sump pumps for rent. WATERFORD HARDWARE, TELEVISION. ORlando 3-2526

For service on any Refrigerator, call Solley Refrigeration. Phone MA 5-4477.

All kinds of upholstering done y Alvin Grate, phone MA ple

# I MUST BE CRAZY

To Trade My Good Money For

RUSTY OLD IRON

JUNK CARS BATTERIES RADIATORS

FARM MACHINERY

Top Price Paid We Pick Up

See or Call LOONEY LOU

L. SCHWARTZ SCRAP IRON & METAL CO. Phone Holly 4241

# If It's PRINTING You Want

Call MAple 5-4321

Custom Printing at its **Best** We do the entire iob from linotype to bindery in our own shop.

The Clarkston News

WE'VE GOT YOU SURROUNDED WITH ... Everyday LOW PRICES! Fruit Cccktail Kroger . . No. 2½ can 35° **Grapefruit Sections** Alaska Salmon Ran 39° Salad Dressing at 39° "Amazing Introductory Offer This Coupon Worth 10 cents on Purchase of one Jar Big Top Crunchy Peanut Butter in Flying Duck Glass or one Jar Big Top Smooth Peanut Butter in Sing A Song Glass. Offer Expires May 31, 1952. Waffle Syrup staley's . . . 24-oz. bot 39c Pancake Flour Pillsbury 2 20-oz. pkgs. 35c

**Bisquick** Spotlight Kroger Bread . . 2200z31c


Pork Loin

Pork Butt Full Shank 47° Fresh Ham By The lb. 49°

RINDLESS, CELL-WRAPPED Sliced Bacon.... 16. 39c ONE GRADE—THE FINEST

Ground Beef .... 15. 67c

Oranges or Grapefruit



**Vein-X-Shrimp** 

# Your Friendly **Food Market**

Cut Up - Ready For The Round - T-Bone - Sirloin

**Frying** Kirby Slab Bacon, lb. Sausage, lb.

lb. **59**c

Chickens

A Fine Selection of Hams for Easter. ORDER NOW

Steaks, lb.

All Flavors **JELLO** 3 pkg. 25c

Seedless

RAISINS 15 oz. pkg. 19c

**Defiance** All Purpose

Peas

QUANTITY SALE - FROZEN FOODS

Corn Perch 3 lbs. \$1.10 6 pkg. \$1.29 6 Pkg. \$1.39

Old South

3 cans — 49c doz. 1.79 Orange Juice

Mullers **DONUTS** doz.

Crisco or Spry

4 South Main Street

Phone MA 5-2771

# **One Stop Service!**

Send Your Laundry with Your Dry Cleaning for better work and quicker service.

**BERG CLEANERS** 

6700 Dixie Hwy.

Ph. MAple 5-3521

News Want Ads Bring Fast Results



BOWLING LEAGUE TEAM

Clarkston State Bank 52 32 Don Pringle Howe's Lanes Northern TV Sales Dixie Spot Drive-In 40 Beattie Motor Sales 34 50 Virginia's Beauty Shop 36 48 49
INDIVIDUAL HIGH SINGLE

INDIVIDUAL HIGH SERIES P. MacDiarmid TEAM HIGH SINGLE

Howe's Lanes TEAM HIGH SERIES Dixie Spot Drive-In \_

TRI-CITY LEAGUE Johnson-Anderson Eng 48 27 Clintonville Grocery 45 30 K.. & B. Cafe Kelley's Hardware 🐇 38 37 49 Clark's Standard Serv. 36 39 Head's Barber Shop



1952 RED CROSS • FUND.

RITA'S **BEAUTY SHOP** 33 Miller Road, Clarkston

Permanents from \$5 up including hair conditioning treatment Cold Wave \$8.50 to \$10.00 Shampoo & Wave \$1.00 Call MAple 5-4466 For appointment

# "Home Maid" **Ice Cream**

TO TAKE HOME

PACKAGE PINT \_\_\_\_\_ 27c ½ GAL. \_\_\_\_\_ 950 HAND PACKED

PENT \_\_\_\_\_\_ 390 QUART \_\_\_\_\_ 750. DIXIE SPOT

Dixie Hwy. at M-15



6 to 7 lb. avg. lb. 69c **Armours Junior Turkeys** 

**Frozen Peas** 

2 pkgs. 43c 2 lbs. 29c

**Gold Medal Flour** 

5 lb. bag. 45c

**b.** 74c

Butter

Bananas

Hot Cross Buns \_\_\_\_ dz. 30c Frozen Strawberries pkg. 34c

Fresh Carrots, 3 bunches 25c Bologna, large or ring, lb. 49c Fresh Spinach, cello bag, 19c Terry's Market

"Your Complete Food Market"

MAple 5-4341 Clarkston

INDIVIDUAL HIGH SINGLE INDIVIDUAL HIGH SERIES

TEAM HIGH SINGLE Johnson-Anderson Eng \_\_\_\_\_ 965. TEAM HIGH SERIES ohnson-Anderson Eng. \_\_ 2760

DIXIE ALL-STAR LEAGUE

AGUE W L P Clarkston Dairy Bar, 48 = 30 - 66 Hartz Springs Howe's Lanes Standard Oll . Davisburg Handware 35 43 Sunny Beach Club 30

INDIVIDUAL HIGH SINGLE H. Hartz INDIVIDUAL HIGH SERIES TEAM HIGH SINGLE Howe's Lames TEAM HIGH SERIES Clarkston Dairy Bar

Spontsmen's Inn Waterford Market Mit. View Country Club Hazeliton Lettering Lytell & Colegrove 45 30 48 40 J. & I. Pattern Shop 25 53 31 Gidley Electric

# **Announcement**

# CLARKSTON TV

Alton (PETE) Secord Gordon (WHITEY) Kelley

> **Fast Efficient Service** Home Calls ALL WORK GUARANTEED **Fast Radio Repair**

HOURS: 8:30 A. M. 'til 8:00 P. M.

MA 5-6111

Located At Kelley's Hardware

# Time For Spring Planting Scott's Seeds Garden

**Garden Tools** 

**Luxall** and **Sherwin-Williams** Paints - Enamels - Varnishes Kelley's Hardware

MAple 5-6111 27 S.: Main Street We Give Holdens Red Stamps

# 1 119 Powells Market A.

6687 Dixie Hwy at M-15 Open Sundays - Closed Mondays

Complete Selection of Fresh Fish and **Poultry - Every Day** SPECIAL

White Rock Stewing Hens Large Pink Shrimp

Pinconning Cheese

lb. 45c

1b. 69c

OUR NEW PHONE NUMBER IS **MAple 5-6621** 

PLEASE FILE FOR EASY REFERENCE

Ben Powell

For Your Fireplace Genuine Ebony Cube CANNEL COAL Clarkston Coal& Oil Co. MAple 5-7421 White Lake Road

INDIVIDUAL HIGH SINGLE INDIVIDUAL HIGH SERIES

TEAM HIGH SINGLE iytell & Colegrove \_\_\_\_\_ 911 TEAM HIGH SERIES

Spontsmen's Inn \_

Charkston Coal & Oil 40 38 Miller & Beardslee Tally-Ho Bar Clarkston Cafe Beach's Service Infra Red-Ray 47 King's Insurance 30 48 39 O'Deli Drug INDIVIDUAL HIGH GAME

INDIVIDUAL HIGH SERIES Clarkston Coal & Oil -TEAM HIGH SINGLE

Tally-Ho Bar TEAM HIGH SERIES Clarkston Coal & Oil \_\_\_\_ WATERFORD MERCHANTS'

BOWLING LEAGUE (Blue Division) TEAM Waterford Barber Sportsmen's Inn 54 Rask Collision Waterford Market 37. 48 Waterford Hardware Gidley Electric 36 39 45 Com. Activities 24 51 31 Waterford Hotel

INDIVIDUAL HIGH SINGLE INDIVIDUAL HIGH SERIES

TEAM HIGH SINGLE Waterford Hotel . TEAM HIGH SERIES Sportsmen's Inn ...

(Red Division) TEAM Mt. View Country Club 50 25 Jacober's Market 33 Dixie Welding 38 37 43 43 30 45 Lamberton Bros. Beattie Motor Sales 28 47 37 INDIVIDUAL HIGH SINGLE

INDIVIDUAL HIGH SERIES

TEAM HIGH SINGLE Beattie Motor Sales TEAM HIGH SERIES Jacober's Market

# Our Mechanical Car Washer Does **Save Your Time**

**Naturally It's** BEACH'S For A Better Job **AAA Service** Phone MA 5-5731

BEACH'S STANDARD SERVICE US 10 at M-15

# This Could be a Problem But St Ssn't-



If you have a home freezer, filling it isn't a problem any more because we are here to help.

More and more people in this community who have home freezers are using the services of our locker plant to save more money and to make sure their foods are properly

We're specialists in frozen foods and are ready to help you get more out of your home freezer. We can supply you with high-grade meats at wholesale prices. You'll like our professional processing which includes proper aging, chilling, and cutting on the power saw. Your foods will be properly. wrapped in moisture-vapor proof material and frozen at sub-

Drop in our plant soon and let us show you our facilities for servicing home freezers.

# CLARKSTON FOOD LOCKERS

7180 M-15

Phone MA 5-9241

RELAX — ENJOY A RESTAURANT MEAL TODAY AT THE

# Clarkston Cafe

(M-15 At Clarkston)

Bring The Family — You Can Eat Here For Less Than You Can At Home.

BREAKFAST — LUNCHEON — DINNERS Pies — (Home Cooking) — Pastry Beer and Wine - Served or Take Out PHONE MA 5-9191

# **Potted Plants Cut Flower Arrangements** WATERFORD HILL GREENHOUSES

(CRAFT'S FLOWERS)

5992 DIXIE HWY.

OR 3-2481

# Kelley's Cities Service ASA KELLEY, Owner

Cities Service Products Lubrication - Washing

Tires - Minor Repairs - Accessories 6725 Dixie Hwy. MA 5-9471

# RUDY'S MARKEI

**Booth Frozen** 

Orange Juice \_\_\_\_\_\_ Perch Fillets \_\_\_\_\_ Strawberries \_\_\_

**Banquet Canned** Chicken

can 1,49

Gold Medal, Robinhood

Flour

Campbells Vegetable or Tomato

Soup

3 cans 290

25 lbs. 1.99